


a·emotional light

a·emotional light

Crafted in Spain

Technical info

Info técnica



AUTHENTICITY GUARANTEE | GARANTÍA DE AUTENTICIDAD

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company a-emotional light. It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

Some dimensions and/or electrical data may vary, consult your sales advisor.

Todas las lámparas salen con etiquetas que reflejan la referencia y número de serie. Esta lámpara es un diseño exclusivo y auténtico de la empresa a-emotional light. Está producida y hecha totalmente a mano en España. Pasa estrictos controles de calidad antes de su salida al mercado.

Todas nuestras lámparas están hechas a mano. Las diferencias entre ellas y en los distintos materiales empleados convierten a cada lámpara en única. Pequeñas diferencias entre lámparas de una misma referencia no son un defecto, sino un valor, cada una es un objeto único. Las dimensiones de las tulipas indicadas son sólo aproximadas y nunca exactas.

Algunas dimensiones y/o datos eléctricos pueden variar, consulte con su asesor comercial.

Fitting is legally approved and comply with the European Mark CE

Luminaria homologada, cumple con la normativa CE

Only for the USA, these items comply with the UL standard for luminaires under the UL file of a-emotional light

Solo para EE.UU., estos artículos cumplen con el estándar UL para luminarias bajo el archivo UL de a-emotional light

For North America, these items comply with the UL standard for luminaires under the UL file of a-emotional light

Para América del Norte, estos artículos cumplen con el estándar UL para luminarias bajo el archivo UL de a-emotional light

Product marking used for products being placed on the market in Great Britain (England, Scotland and Wales)

Marcado de producto utilizada para los productos que se comercializan en Gran Bretaña (Inglaterra, Escocia y Gales)

The luminaires made of painted stainless steel mesh can be chosen by RAL or NCS code (see conditions)

Las luminarias realizadas en malla de acero inoxidable pintada podrán elegirse el color mediante código RAL o NCS (ver condiciones).

Awarded by the International Interior Design Association (IIDA) and Hospitality Design magazine.

Premio otorgado por International Interior Design Association (IIDA) y la revista Hospitality Design

Awarded by Interior Design Magazine, New York

Premio otorgado por la revista Interior Design de New York

Awarded by the Chicago Athenaeum Museum of Architecture and Design

Premio otorgado por el Chicago Athenaeum Museo de Arquitectura y Diseño

Awarded by Industrial Design Association of the FAD (ADI-FAD), Barcelona

Premio otorgado por la Asociación de Diseño Industrial del FAD (ADI-FAD), Barcelona

Double insulation and/or reinforced insulation in every part and without ground devices

Doble aislamiento y/o aislamiento en cada parte y sin toma de tierra

Luminaire to use with tungsten halogen bulbs with own protection shield

Luminaria diseñada para usar lámparas halógenas de wolframio con pantalla de protección propia

The device is not suitable for installation on normally inflammable surface

Aparato no adaptado para la instalación en superficies normalmente inflamables

Available with LED built-in technology

Disponible con tecnología LED integrada

Professional standard bidirectional regulation interface for lighting equipment control

Interfaz profesional estándar de regulación bidireccional para control de equipos de iluminación

Regulation for small installations without adding additional control wiring.

Regulación para instalaciones pequeñas sin necesidad de añadir cableado adicional de control. PHASE CUT - 230V

Regulation of luminous flux between 0 and 10V (1-100%) through an analog signal. Compatible with TRIAC (forward-phase or leading-edge), ELV (reverse-phase or trailing edge) - only at 120Vac

Regulación de flujo lumínico entre 0 y 10V (1-100%) a través de una señal analógica. Compatible con TRIAC (fase directa o borde de ataque), ELV (fase inversa o borde de salida).

Available for outdoor IP64


Disponible para exterior IP64

According to Americans with Disabilities Act

De acuerdo con la ley de discapacidades de los estadounidenses



Index
Índice

TABLE LAMPS | LÁMPARAS DE MESA
188 - 193





FLOOR LAMPS | LÁMPARAS DE PIE
194 - 197






OUTDOOR LAMPS | LÁMPARAS DE EXTERIOR





BRÉTEMA
252 - 253




Lámparas de mesa

Arturo Álvarez, 2015

FINISHES 42 

SUPPORT	Stainless steel
SOPORTE	Acero inoxidable



AC02	2055€
------	-------



PACKAGING	71x71x43 cm 28x28x17"
EMBALAJE	10 kg 22 lb

Héctor Serrano, 2025



BL

BE

G

T




Black · Negro
L 200cm | 78,7"

Painted steel
Acero pintado


Included
Incluído

AG01	440€
------	------




PACKAGING	46x24x26 cm 18,1x9,4x10,2"
EMBALAJE	2,5 kg 5,5 lb

AG02	501€
------	------



PACKAGING	44x44x40 cm 17,3x17,3x15,7"
EMBALAJE	3 kg 6,6 lb

AG02G	560€
-------	------



PACKAGING	47x47x63 cm 18,5x18,5x24,8"
EMBALAJE	4,3 kg 9,5 lb

Bety Eco

Arturo Álvarez, 2009

MATERIAL

MATERIAL

Pressed Cellulose

Celulosa prensada

FINISHES

ACABADOS

42

49

43

50

46

51

47

52

CABLE

Transparent · Transparente

L 200cm | 78,7"

SUPPORT

SOPORTE

Stainless Steel

Acero inoxidable

BEC001

466€

CE

cULus

UKCA

CCC

RoHS

33 cm · 13"

67 cm · 26,4"

21x21 cm · 8,3x8,3"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage-
Max. 1x7 W

120 V | 60 Hz

E12 LED - Max. 1x7 W

NET WEIGHT

PESO NETO

1,5 kg | 3,3 lb

PACKAGING

EMBALAJE

65x32x23 cm | 25,6x12,6x9,1"

3 kg | 6,6 lb

Blossom

Teresa Sapey + Partners, 2023

MATERIAL

MATERIAL

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Multicolor · Multicolor

Custom · Personalizado

CABLE

White · Blanco

L 200cm | 78,7"

DIFFUSER

DIFUSOR

Included

Incluido

SUPPORT

SOPORTE

Painted steel

Acero pintado

BS02

495€

CE

cULus

UKCA

CCC

RoHS

55 cm · 21,6"

26x22 cm · 10,2x8,7"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x7 W

120 V | 60 Hz

E26 LED - Max. 1x7 W

NET WEIGHT

PESO NETO

2,9 kg | 6,6 lb

PACKAGING

EMBALAJE

32x23x65 cm | 12,6x9x25,6"

4 kg | 8,8 lb

Cambo

Cenlitos, 2022

MATERIALS

MATERIALES

Painted steel

Acero pintado

Painted aluminum

Aluminio pintado

Painted

Beech wood

stainless steel

Madera de haya

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Black · Negro

Custom · Personalizado

CABLE

Black or White · Blanco o negro

L 200cm | 78,7"

SUPPORT

SOPORTE

Painted steel

Acero pintado

DIFFUSER

DIFUSOR

Included

Incluido

CM01

703€

LED

CE

cULus

UKCA

CCC

RoHS

64 cm · 25,2"

26x23 cm · 10,2x9"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

7W | 2700K | 850lm built-in
Dimmable

100~277 V | 60 Hz

7W | 2700K | 850lm built-in
Dimmable

NET WEIGHT

PESO NETO

1,9 kg | 4,3 lb

PACKAGING

EMBALAJE

84x38x28 cm | 33x14,9x11"

4,6 kg | 10,1 lb

Clara

Arturo Álvarez, 2021

MATERIAL

MATERIAL

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

CABLE

Transparent · Transparente

L 200cm | 78,7"

SUPPORT

SOPORTE

Stainless steel

Acero inoxidable

CL02

971€

LED

CE

cULus

UKCA

CCC

RoHS

82 cm · 32,3"

42x25 cm · 16,5x9,8"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

24W | 2700K | 2449lm built in
upon request 3000K | 2527lm

100~277 V | 60 Hz

24W | 2700K | 2449lm built in
upon request 3000K | 2527lm

NET WEIGHT

PESO NETO

4,7 kg | 10,4 lb

PACKAGING

EMBALAJE

44x44x88 cm | 17,3x17,3x34,6"

10 kg | 22 lb

Curvas

Arturo Álvarez, 2004

MATERIAL

MATERIAL

Glass

Vidrio

FINISHES

ACABADOS

02

89

87

90

CABLE

Transparent or Black

Transparente o negro

L 120cm | 47,2"

SUPPORT

SOPORTE

Painted steel | Stainless steel

Acero pintado | Acero inoxidable

CV01

381€

CE

cULus

UKCA

CCC

RoHS

11,5 cm · 4,5"

33 cm · 13"

Ø 15 cm · 5,9"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage-
Max. 1x7 W

120 V | 60 Hz

E12 LED - Max. 1x7 W

NET WEIGHT

PESO NETO

1,9 kg | 4,2 lb

PACKAGING

EMBALAJE

46x24x26 cm | 17,7x9,4x10,2"

2,6 kg | 5,7 lb

Era

Isaac Piñeiro, 2023

MATERIAL

MATERIAL

Hand-crafted glass

Vidrio artesanal

FINISHES

ACABADOS

19

25

CABLE

Black · Negro

L 120cm | 47,2"

SUPPORT

SOPORTE

Steel painted in matte black

Acero pintado en negro mate

ER01

972€

CE

cULus

UKCA

CCC

RoHS

37 cm · 14,6"

Ø 33,5 cm · 13,2"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT

PESO NETO

5 kg | 9,2 lb

PACKAGING

EMBALAJE

50x50x50 cm | 20,7x20,7x20,9"

7 kg | 15,4 lb

10

11






a·emotional light design team, 2021

Nevo

Arturo Álvarez, 2007

SUPPORT	Painted steel Stainless steel
SOPORTE	Acero pintado Acero inoxidable

NE01 443€

NE02 552€

Arturo Álvarez, 2017

Tati

Ura

SUPPORT	Stainless steel
SOPORTE	Acero inoxidable

TA02 531€

CE cULus UKCA CCC ENEC

UR01 388€

Floor lamps

Lámparas de pie

Africa

Arturo Álvarez, 2014

MATERIALS	Painted stainless steel		
MATERIALES	Acero inoxidable pintado		
FINISHES	White · Blanco	<div>BL</div>	
ACABADOS			
	Warm white · Blanco cálido	<div>BC</div>	
	Beige · Beige	<div>BE</div>	
	Grey · Gris	<div>G</div>	
	Taupe · Topo	<div>T</div>	
	Custom · Personalizado	<div>CC</div>	
CABLE	Transparent or Black		
	Transparente o negro		
	L 250 cm 98,4"		
SUPPORT	Painted steel Stainless steel		
SOPORTE	Acero pintado Acero inoxidable		

Agasallo Floor

Héctor Serrano, 2025


MATERIALS	Stainless steel mesh		
MATERIALES	Malla de acero inoxidable		
FINISHES	White · Blanco	<div>BL</div>	
ACABADOS			
	Warm white · Blanco cálido	<div>BC</div>	
	Beige · Beige	<div>BE</div>	
	Grey · Gris	<div>G</div>	
	Taupe · Topo	<div>T</div>	
	Black · Negro	<div>N</div>	
	Custom · Personalizado	<div>CC</div>	
CABLE	Black · Negro		
	L 200cm 78,7"		
SUPPORT	Stainless steel		
SOPORTE	Acero inoxidable		
DIFFUSER	Included		
DIFUSOR	Incluido		

AF03



9576€



Ø 143 cm · 56,3"




220 cm · 86,6"

LIGHT SOURCE	Recommended bulbs		
FUENTE DE LUZ	Bombillas recomendadas		
230 V 50 Hz		E14 LED Vintage-	Max. 3x12 W
120 V 60 Hz		E12 LED - Max. 3x12 W	
NET WEIGHT	60 kg 132,7 lb		
PESO NETO			
PACKAGING	154x153x242 cm 60,6x60,2x95,7"		
EMBALAJE	272 kg 600 lb		



AG03

790€



85 cm · 33,5"

Ø 41 cm · 16,1"

LIGHT SOURCE	Recommended bulbs		
FUENTE DE LUZ	Bombillas recomendadas		
230 V 50 Hz		E27 LED Vintage-	Max. 1x7 W
120 V 60 Hz		E26 LED - Max. 1x7 W	
NET WEIGHT	3,4 kg 7,5 lb		
PESO NETO			
PACKAGING	46x46x90 cm 18,1x18,1x35,4"		
EMBALAJE	6 kg 13,2 lb		

Arc

Arturo Álvarez, 2014

MATERIALS	Stainless steel mesh			
MATERIALES	Malla de acero inoxidable			
FINISHES	42			
ACABADOS				
CABLE	Transparent · Transparente			
	L 300 cm 318,1"			
SUPPORT	Painted steel			
SOPORTE	Acero pintado			

Bety Eco

Arturo Álvarez, 2009

MATERIAL	Pressed Cellulose		
MATERIAL	Celulosa prensada		
FINISHES	42	<div></div>	
ACABADOS			
	43	<div></div>	50
	46	<div></div>	51
	47	<div></div>	52
CABLE	Transparent or Black		
	Transparente o negro		
	L 250 cm 98,4"		
SUPPORT	Stainless steel		
SOPORTE	Acero inoxidable		

Clara


Arturo Álvarez, 2021

MATERIALS	Stainless steel mesh		
MATERIALES	Malla de acero inoxidable		
FINISHES	White · Blanco	<div>BL</div>	
ACABADOS			
	Warm white · Blanco cálido	<div>BC</div>	
CABLE	Transparent · Transparente		
	L 250 cm 98,4"		
SUPPORT	Painted steel Stainless steel		
SOPORTE	Acero pintado Acero inoxidable		

AC03




5274€

LED



185 cm · 72,8"

135x60 cm · 53,1x23,6"


LIGHT SOURCE	Recommended bulbs		
FUENTE DE LUZ	Bombillas recomendadas		
230 V 50 Hz		85 W 3000 K 6850 lm	 built-in
100-240 V 60 Hz		85 W 3000 K 6850 lm	
NET WEIGHT	15 kg 33,1 lb		
PESO NETO			
PACKAGING	54x160x210 cm 21,3x63x82,7"		
EMBALAJE	167 kg 368 lb		

BEC003

971€





Ø 42cm · 16,5"



52 cm · 20,5"

183 cm · 72"

50x50 cm · 19,7x19,7"

LIGHT SOURCE	Recommended bulbs		
FUENTE DE LUZ	Bombillas recomendadas		
230 V 50 Hz		E27 LED Vintage-	Max. 1x12 W
120 V 60 Hz		E26 LED - Max. 1x12 W	
NET WEIGHT	5,5 kg 12,1 lb		
PESO NETO			
PACKAGING	180x11x11 cm 70,9x4,3x4,3"		
EMBALAJE	47x47x63 cm 18,5x18,5x24,8"		
	8 kg 17,6 lb		


CLO3

1725€

LED



35x30 cm · 13,8x11,8"



130 cm · 51,2"

160 cm · 63"

LIGHT SOURCE	Recommended bulbs		
FUENTE DE LUZ	Bombillas recomendadas		
230 V 50 Hz	 35W 2700K 3367lm	built in	
	upon request	3000K	3474lm
			
100-277 V 60 Hz	 35W 2700K 3367lm	built in	
	upon request	3000K	3474lm
NET WEIGHT	10 kg 22 lb		
PESO NETO			
PACKAGING	174x45x31 cm 68,5x17,7x12,2"		
EMBALAJE	15 kg 33.1 lb		

Curvas

Arturo Álvarez, 2004

MATERIAL	Glass	
MATERIAL	Vidrio	
FINISHES	02	89
ACABADOS		
	87	90
CABLE	Transparent or Black	
	Transparente o negro	
	L 250cm 98,4"	
SUPPORT	Painted steel Stainless steel	
SOPORTE	Acero pintado Acero inoxidable	
DIFFUSER	Top diffuser	
DIFUSOR	Difusor superior	

CV03G1580€

LIGHT SOURCE

FUENTE DE LUZ

ONLY DIMMABLE LED BULBS

230 V | 50 Hz

E27 LED Vintage-
Max. 4x12 W

120 V | 60 Hz

E26 LED - Max. 4x12 W

NET WEIGHT

PESO NETO

12,5 kg | 25,6 lb

PACKAGING

EMBALAJE

185x45x25 cm | 72,8x17,7x9,8"
47x47x63 cm | 18,5x18,5x24,8"
15kg | 33,1lb

Dimmable

Regulable

Gea

Arturo Álvarez, 2007

MATERIALS	Painted stainless steel	
MATERIALES	Acero inoxidable pintado	
FINISHES	White · Blanco	BL
ACABADOS		
	Warm white · Blanco cálido	BC
	Beige · Beige	BE
	Grey · Gris	G
	Taupe · Topo	T
	Custom · Personalizado	CC
CABLE	Transparent or Black	
	Transparente o negro	
	L 350cm 137,8"	
SUPPORT	Painted steel Stainless steel	
SOPORTE	Acero pintado Acero inoxidable	

GE031990€

LIGHT SOURCE

FUENTE DE LUZ

ONLY DIMMABLE LED BULBS

230 V | 50 Hz

E27 LED Vintage-
Max. 5x12 W

120 V | 60 Hz

E26 LED - Max. 5x12 W

NET WEIGHT

PESO NETO

14,5 kg | 32 lb

PACKAGING

EMBALAJE

188x44x26 cm | 74x17,2x10,23"
19kg | 41,9lb

Dimmable

Regulable

Ura

Arturo Álvarez, 2017

MATERIALS	Painted stainless steel	
MATERIALES	Acero inoxidable pintado	
FINISHES	White · Blanco	BL
ACABADOS		
	Warm white · Blanco cálido	BC
	Beige · Beige	BE
	Grey · Gris	G
	Taupe · Topo	T
	Black · Negro	N
	Custom · Personalizado	CC
CABLE	Transparent · Transparente	
	L 250cm 98,4"	
SUPPORT	Stainless steel	
SOPORTE	Acero inoxidable	

UR031583€

LIGHT SOURCE

FUENTE DE LUZ

ONLY DIMMABLE LED BULBS

230 V | 50 Hz

E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz

E26 LED - Max. 3x12 W

SUPPORT

SOPORTE

Stainless steel

Acero inoxidable

NET WEIGHT

PESO NETO

7,6 kg | 16,8 lb

PACKAGING

EMBALAJE

111x43x44 cm | 43,7x16,9x17,3"
12,5kg | 27,6lb

Dimmable

Regulable

Virginia

Arturo Álvarez, 2021

MATERIALS	Painted stainless steel	
MATERIALES	Acero inoxidable pintado	
FINISHES	White · Blanco	BL
ACABADOS		
	Warm white · Blanco cálido	BC
	Beige · Beige	BE
	Grey · Gris	G
	Taupe · Topo	T
	Black · Negro	N
	Custom · Personalizado	CC
CABLE	Transparent · Transparente	
	L 250cm 98,4"	
SUPPORT	Painted steel Stainless steel	
SOPORTE	Acero pintado Acero inoxidable	

VG03A817€

LIGHT SOURCE

FUENTE DE LUZ

E27 LED Vintage-
Max. 1x12 W

230 V | 50 Hz

E26 LED - Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

CABLE

Transparent

Transparente

L 250cm | 98,4"

NET WEIGHT

PESO NETO

10,5 kg | 23,1 lb

PACKAGING

EMBALAJE

155x11x11 cm | 61x4,3x4,3"
51x51x53 cm | 20,7x20,7x20,9"
12 kg | 26,5 lb

CABLE	Transparent · Transparente	
	L 250cm 98,4"	
SUPPORT	Painted steel Stainless steel	
SOPORTE	Acero pintado Acero inoxidable	

VG03B787€

LIGHT SOURCE

FUENTE DE LUZ

E27 LED Vintage-
Max. 1x12 W

230 V | 50 Hz

E26 LED - Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

CABLE

Transparent

Transparente

L 250cm | 98,4"

NET WEIGHT

PESO NETO

10 kg | 22 lb

PACKAGING

EMBALAJE

1155x11x11 cm | 61x4,3x4,3"
44x44x40 cm | 17,3x17,3x15,7"
11,5 kg | 25,3 lb

V

Héctor Serrano, 2007

MATERIALS	Polycarbonate	
MATERIALES	Policarbonato	
FINISHES	White · Blanco	BL
ACABADOS		
	Black · Negro	N
	Terracotta · Terracota	TE
	Custom · Personalizado	CC
CABLE	Transparent or Black	
	Transparente o negro	
	L 400cm 157,54"	
	Glass diffuser	
	Difusor de vidrio	

VV031560€

LIGHT SOURCE

FUENTE DE LUZ

E27 LED Vintage-
Max. 1x8 W

230 V | 50 Hz

E26 LED - Max. 1x8 W

120 V | 60 Hz

E26 LED - Max. 1x8 W

NET WEIGHT

PESO NETO

12 kg | 26,5 lb

PACKAGING

EMBALAJE

163x42x11 cm | 64,2x16,5x4,3"
84x84x38 cm | 33x33x15"
18,8 kg | 41,4 lb

16

17

Lámparas colgantes

Arturo Álvarez, 2019

18

Héctor Serrano, 2021

19

Agasallo

Héctor Serrano, 2021

MATERIALS
MATERIALES

Painted Stainless steel
Acero inoxidable pintado

Stainless steel painted
in matte black
Acero inoxidable pintado
en negro mate

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Beige · Beige



Grey · Gris



Taupe · Topo



Black · Negro



Custom · Personalizado



CABLE

Black · Negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE



Black waterproof neoprene

cable H05RN-F

Cable de neopreno negro
resistente al agua H05RN-F

CANOPY
FLORÓN

Matte black · Negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN



Steel and stainless steel
coated with epoxy paint in black

Acero y acero inoxidable
pintado en negro
Ø12cm | 4,7"

STANDARDS
TESTED
NORMAS
ENSAYADAS


EN 60598

EN 60529

Degree IP | Grado IP

IP64

AG304 552€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz



E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz



E26 LED - Max. 1x12 W


NET WEIGHT
PESO NETO

1,3 kg | 2,9 lb

PACKAGING
EMBALAJE

47x47x63 cm | 18,5x18,5x24,8"
3,4 kg | 7,5 lb

AG304-EXT 616€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

220-240 V |
50/60 Hz



E27 LED Vintage-
Max. 1x15 W

BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with
water and use in humid condition
Solamente Bombillas LED aptas
para el contacto con el agua y utilización
en condiciones de humedad
not available in 120V


NET WEIGHT
PESO NETO

1,3 kg | 3,3 lb

PACKAGING
EMBALAJE

47x47x63 cm | 118,5x18,5x24,8"
3,6 kg | 7,9 lb

AG404 509€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz



E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz



E26 LED - Max. 1x12 W


NET WEIGHT
PESO NETO

1,5 kg | 3,3 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
3,7 kg | 8,2 lb

AG404-EXT 568€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

220-240 V |
50/60 Hz



E27 LED Vintage-
Max. 1x15 W

BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with
water and use in humid condition
Solamente Bombillas LED aptas
para el contacto con el agua y utilización
en condiciones de humedad
not available in 120V

NET WEIGHT
PESO NETO

1,7 kg | 3,7 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
3,9 kg | 8,6 lb

Anel

a-emotional light design team, 2023



MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Custom · Personalizado



CABLE

220V: White | Blanco
110V: Transparent | Transparente

Standard: 150cm | 59,1"

120V: 200cm | 78,7"

Lenght/largo customizable

CANOPY
FLORÓN

Matte white · Blanco mate

AN04

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"


SUPPORT
SOPORTE

Aluminum
Aluminio

DIFFUSER
DIFUSOR

Diffuser included
Include difusor


AN04 1313€



LIGHT SOURCE
FUENTE DE LUZ


Light source built in
Fuente de luz incluida

230 V | 50 Hz



STRIP 30W | 2700K
3540lm built-in Dimmer:
PHASE CUT

100-277 V |
60 Hz



STRIP 30W | 2700K |
3540lm built-in Dimmer:
TRIAC upon request 0-10 V

NET WEIGHT
PESO NETO


8 kg | 17,6 lb

PACKAGING
EMBALAJE

80x73x43 cm | 31,5x28,7x17"
13,4 kg | 29,5 lb

AN04G

1875€



LIGHT SOURCE
FUENTE DE LUZ


Light source built in
Fuente de luz incluida

230 V | 50 Hz



STRIP 46W | 2700K |
5210lm built-in Dimmer:
PHASE CUT

100-277 V |
60 Hz



STRIP 46W | 2700K |
5210lm built-in Dimmer:
TRIAC upon request 0-10 V


NET WEIGHT
PESO NETO

12 kg | 26,5 lb

PACKAGING
EMBALAJE

110x110x33 cm | 43,3x43,3x13"
16,5 kg | 36,4 lb


AN05 1252€



LIGHT SOURCE
FUENTE DE LUZ


Light source built in
Fuente de luz incluida

230 V | 50 Hz



STRIP 30W | 2700K
3540lm built-in Dimmer:
PHASE CUT

100-277 V |
60 Hz



STRIP 30W | 2700K
3540lm built-in Dimmer:0-10
upon request TRIAC

NET WEIGHT
PESO NETO


8 kg | 17,6 lb

PACKAGING
EMBALAJE

73x73x31 cm | 28,7x28,7x12,1"
11 kg | 24,2 lb

AN05G


1825€



LIGHT SOURCE
FUENTE DE LUZ


Light source built in
Fuente de luz incluida

230 V | 50 Hz



STRIP 46W | 2700K |
5210lm built-in Dimmer:
PHASE CUT

100-277 V |
60 Hz



STRIP 46W | 2700K |
5210lm built-in Dimmer:
0-10 V upon request TRIAC

NET WEIGHT
PESO NETO

12 kg | 26,5 lb

PACKAGING
EMBALAJE

110x110x33 cm | 43,3x43,3x13"
16,5 kg | 36,4 lb

Ballet Plié
Héctor Serrano, 2016

MATERIALS Painted Stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES White · Blanco
ACABADOS

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Custom · Personalizado

CABLE Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"
Lenght/largo customizable

CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"


CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

CANOPY Steel and stainless steel coated with epoxy paint in black
FLORÓN Acero y acero inoxidable pintado en negro
Ø12cm | 4,7"

STANDARDS EN 60598
TESTED EN 60529
NORMAS
ENSAYADAS Degree IP | Grado IP
IP64

DIFFUSER Inside diffuser
DIFUSOR Difusor interno

BAPI04 534€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas


230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 1,2 kg | 2,6 lb
PESO NETO

PACKAGING 73x73x43 cm | 28,7x28,7x17"
EMBALAJE 5,4 kg | 11,9 lb

BAPI04-LD 726€



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida


230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K |
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 2,1 kg | 4,6 lb
PESO NETO

PACKAGING 73x73x43 cm | 28,7x28,7x17"
EMBALAJE 5,4 kg | 11,9 lb

BAPI04-EXT 655€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

220-240 V | 50/60 Hz E27 LED Vintage-
Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid condition
Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad
not available in 120V

NET WEIGHT 2,1 kg | 4,6 lb
PESO NETO

PACKAGING 73x73x43 cm | 28,7x28,7x17"
EMBALAJE 5,4 kg | 11,9 lb

Ballet Relevé
Héctor Serrano, 2016

MATERIALS Painted Stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES White · Blanco
ACABADOS

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Custom · Personalizado

CABLE Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"
Lenght/largo customizable

CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"


CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

CANOPY Steel and stainless steel coated with epoxy paint in black
FLORÓN Acero y acero inoxidable pintado en negro
Ø12cm | 4,7"

STANDARDS EN 60598
TESTED EN 60529
NORMAS
ENSAYADAS Degree IP | Grado IP
IP64

DIFFUSER Inside diffuser
DIFUSOR Difusor interno

BARE04 534€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas


230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 1 kg | 2,2 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 2 kg | 4,6 lb

BARE04-LD 726€



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida


230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1067lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 1,7 kg | 3,7 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 2,8 kg | 6,3 lb

BARE04-EXT 655€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

220-240 V | 50/60 Hz E27 LED Vintage-
Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid condition
Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad
not available in 120V

NET WEIGHT 1,7 kg | 3,7 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 2,8 kg | 6,3 lb

Ballet Elancé

Héctor Serrano, 2016

MATERIALS Painted Stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES White · Blanco
ACABADOS

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Custom · Personalizado

CABLE Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"
Lenght/largo customizable


CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

CANOPY Steel and stainless steel coated with epoxy paint in black
FLORÓN Acero y acero inoxidable pintado en negro
Ø12cm | 4,7"

STANDARDS EN 60598
TESTED EN 60529
NORMAS
ENSAYADAS Degree IP | Grado IP
IP64

DIFFUSER Inside diffuser
DIFUSOR Difusor interno



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 1,1 kg | 2,4 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 2,4 kg | 5,3 lb



BALAO4-LD 726€




LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100-277V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 1,9 kg | 4,2 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 3,2 kg | 7 lb



BALAO4-EXT 655€




LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

220-240 V | 50/60 Hz E27 LED Vintage-
Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with
water and use in humid condition
Solamente Bombillas LED aptas
para el contacto con el agua y utilización
en condiciones de humedad
not available in 120V

NET WEIGHT 1,9 kg | 4,2 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 3,2 kg | 7 lb



Baleira

Tomás Alonso, 2025

MATERIALS Painted stainless steel mesh
MATERIALES Malla de acero inoxidable pintada

FINISHES White · Blanco
ACABADOS

Warm white · Blanco cálido

Cream · Crema

Custom · Personalizado


CABLE Black · Negro
Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"

CANOPY Matte black · Negro mate
FLORÓN 230V: 30x5x2cm | 11,8x1,9x0,8"
120V: 30x12x2cm | 11,8x4,7x0,8"



BI04

590€



LIGHT SOURCE Built-in LED strip
FUENTE DE LUZ Tira LED integrada

230 V | 50 Hz 27W | 2700K | 2400lm
built-in Dimmer: PHASE CUT


100-277 V | 60 Hz 27W | 2700K | 2400lm
built-in Dimmer: 0-10 V
upon request TRIAC

NET WEIGHT 1,5 kg | 3,3 lb
PESO NETO

PACKAGING 60x60x33 cm | 23,6x23,6x13"
EMBALAJE 3 kg | 6,6 lb

BEC004

612€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,1 kg | 4,6 lb
PESO NETO

PACKAGING 47x47x63 cm | 18,5x18,5x24,8"
EMBALAJE 3 kg | 6,6 lb

Bety Eco

Arturo Álvarez, 2009

MATERIAL Pressed Cellulose
MATERIAL Celulosa prensada

FINISHES 42 49
ACABADOS

43 50

46 51

47 52

CABLE Transparent or Black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable


CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY Matte white or matte black
FLORÓN Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"



BEC004-LD

781€



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100-277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 2,5 kg | 5,5 lb
PESO NETO

PACKAGING 47x47x63 cm | 18,5x18,5x24,8 "
EMBALAJE 4 kg | 8,8 lb

Blum

Arturo Álvarez, 2015

MATERIALS
MATERIALES

Painted Stainless thread
Hilo inoxidable pintado

FINISHES
ACABADOS

White · Blanco

BL

CABLE

Transparent or Black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate

230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

Cabana

Isaac Piñeiro, 2023

MATERIALS
MATERIALES

3D Knit
Punto 3D

Painted aluminum
Aluminio pintado

FINISHES
ACABADOS

Beige · Beige

BG

Orange · Naranja

NA

CABLE

Black · Negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable


CANOPY
FLORÓN

Matte black · Negro mate

230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

BL04

373€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Standard-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO


1,3 kg | 2,9 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
2,7 kg | 5,1 lb

CB04

717€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Opal- Max.
1x12 W

1521 lm recommended bulb

120 V | 60 Hz

E26 LED Opal- Max.
1x12 W

1521 lm recommended bulb

NET WEIGHT
PESO NETO


1,5 kg | 3,3 lb

PACKAGING
EMBALAJE

71x71x16 cm | 28x28x6,3"
2,5 kg | 5,5 lb

CB04G

911€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Opal- Max.
3x12 W

1521 lm recommended bulb

120 V | 60 Hz

E26 LED Opal- Max.
3 x12 W

1521 lm recommended bulb

NET WEIGHT
PESO NETO

3,5 kg | 7,7 lb

PACKAGING
EMBALAJE

102x102x17 cm | 40,1x40,1x6,7"
6,6 kg | 14,5 lb

Cambo

Cenlitros, 2021

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

Beech wood
Madera de haya

Painted aluminum
Aluminio pintado

FINISHES
ACABADOS

White · Blanco

BL

Warm white · Blanco cálido

BC

Black · Negro

N

Custom · Personalizado

CC

CABLE

Black · Negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN

Matte black · Negro mate


230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR

Built in diffuser
Difusor incorporado

CM104

637€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

7W | 2700K | 850lm
built-in Dimmer: PHASE CUT

100~277 V |
60 Hz

7W | 2700K | 850lm
built in Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO


1,2 kg | 2,1 lb

PACKAGING
EMBALAJE

64x39x28 cm | 25,2x15,3x11"
2,8 kg | 6,3 lb

CM104G

637€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

7W | 2700K | 850lm
built-in Dimmer: PHASE CUT

100~277 V |
60 Hz

7W | 2700K | 850lm
built in Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO


1,4 kg | 3,1 lb

PACKAGING
EMBALAJE

84x39x28 cm | 33,1x15,3x11"
2,9 kg | 6,6 lb

CM304

637€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

7W | 2700K | 850lm
built-in Dimmer: PHASE CUT

100~277 V |
60 Hz

7W | 2700K | 850lm
built in Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO


1,4 kg | 3,1 lb

PACKAGING
EMBALAJE

84x39x28 cm | 33,1x15,3x11"
2,9 kg | 6,6 lb

CM304G

637€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

7W | 2700K | 850lm
built-in Dimmer: PHASE CUT

100~277 V |
60 Hz

7W | 2700K | 850lm
built in Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

1,4 kg | 3,1 lb

PACKAGING
EMBALAJE

84x39x28 cm | 33,1x15,3x11"
2,9 kg | 6,6 lb

Caos
Arturo Álvarez, 2014

MATERIAL
Cord
MATERIAL
Cordón

Stainless steel
Acero inoxidable

- 42 49
43 50
46 51
47 52

CABLE
Transparent or Black
Transparente o negro


Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
Bottom diffuser
Difusor inferior

CA04A 379€



LIGHT SOURCE
Recommended bulbs
Bombillas recomendadas


230 V | 50 Hz
E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz
E26 LED - Max. 1x12 W

NET WEIGHT
1,1 kg | 2,4 lb

PACKAGING
44x44x40 cm | 17,3x17,3x15,7"
1,5 kg | 3,3 lb

CA04A-LD 578€



LIGHT SOURCE
Light source built in
Fuente de luz incluida


230 V | 50 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
1,8 kg | 4 lb

PACKAGING
44x44x40 cm | 17,3x17,3x15,7"
2 kg | 4,6 lb

CA04B 375€



LIGHT SOURCE
Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz
E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz
E26 LED - Max. 1x12 W

NET WEIGHT
1,1 kg | 2,4 lb

PACKAGING
36x36x31 cm | 14,2x14,2x12,2"
1,5 kg | 3,3 lb

Caos
Arturo Álvarez, 2014

MATERIAL
Cord
MATERIAL
Cordón

Stainless steel
Acero inoxidable

- 42 49
43 50
46 51
47 52

CABLE
Transparent or Black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
Bottom diffuser
Difusor inferior

CA04B-LD 575€



LIGHT SOURCE
Light source built in
Fuente de luz incluida


230 V | 50 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
1,7 kg | 3,7 lb

PACKAGING
36x36x31 cm | 14,2x14,2x12,2"
2 kg | 4,6 lb

CA04AG 522€



LIGHT SOURCE
Recommended bulbs
Bombillas recomendadas


230 V | 50 Hz
E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz
E26 LED - Max. 1x12 W

NET WEIGHT
1,7 kg | 3,7 lb

PACKAGING
51x51x53 cm | 20x20x20,9"
3,8 kg | 8,6 lb

CA04AG-LD 713€



LIGHT SOURCE
Light source built in
Fuente de luz incluida

230 V | 50 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz
7W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
2,3 kg | 5,1 lb

PACKAGING
36x36x31 cm | 14,2x14,2x12,2"
4 kg | 8,8 lb

Coral Cay

Arturo Álvarez, 2011

MATERIALS
MATERIALES

Painted Stainless steel
Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES
ACABADOS

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

CABLE

Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"


CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR

Bottom diffuser
Difusor inferior

COCY04 431€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W


NET WEIGHT
PESO NETO

1,1 kg | 2,4 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
1,6 kg | 3,4 lb

COCY04-LD 604€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)


NET WEIGHT
PESO NETO

1,3 kg | 2,9 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
2,1 kg | 4,1 lb

COCY04XL 2435€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

10 kg | 22 lb

PACKAGING
EMBALAJE

84x84x100 cm | 33,1x33,1x39,3"
10,4 kg | 22 lb

Coral Galaxea

Arturo Álvarez, 2011

MATERIALS
MATERIALES

Painted Stainless steel
Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES
ACABADOS

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

CABLE

Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"


CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR

Bottom diffuser
Difusor inferior

COGA04 431€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz E26 LED - Max. 1x12 W


NET WEIGHT
PESO NETO

1,2 kg | 2,6 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
1,7 kg | 3,7 lb

COGA04-LD 604€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)


NET WEIGHT
PESO NETO

1,9 kg | 4,2 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
2,7 kg | 5,9 lb

COGA04XL 2435€



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz 17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

12 kg | 26,5 lb

PACKAGING
EMBALAJE

70x70x120 cm | 28x28x47,2"
18 kg | 40 lb

Coral Reef

Arturo Álvarez, 2011

MATERIALS

Painted Stainless steel

MATERIALES

Acero inoxidable pintado

Stainless steel

Acero inoxidable

FINISHES

White · Blanco

ACABADOS

BL

Warm white · Blanco cálido

BC

Beige · Beige

BE

Grey · Gris

G

Taupe · Topo

T

Black · Negro

N

Custom · Personalizado

CC

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

Matte white or matte black

FLORÓN

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY

Matte white or matte black

FLORÓN

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER


Bottom diffuser

DIFUSOR

Difusor inferior

CORE04


431€



Ø 20 cm · 7,9"

CORE04-LD


617€



Ø 20 cm · 7,9"

CORE04XL

2435€



Ø 53,5 cm · 21,1"

<

Coral Seaurchin

Arturo Álvarez, 2011

MATERIALS Painted Stainless steel
MATERIALES Acero inoxidable pintado
Stainless steel
Acero inoxidable

- FINISHES
ACABADOS
- White · Blanco (BL)
- Beige · Beige (BE)
- Warm white · Blanco cálido (BC)
- Grey · Gris (G)
- Taupe · Topo (T)
- Black · Negro (N)
- Custom · Personalizado (CC)

CABLE Transparent or black
Transparente o negro
Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"


Lenght/Largo customizable

CANOPY
FLORÓN Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN (LED) Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR (LED) Bottom diffuser
Difusor inferior

COAU04 456€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz (E27 LED Vintage-
Max. 1x12 W


120 V | 60 Hz (E26 LED - Max. 1x12 W

NET WEIGHT 1,7 kg | 3,7 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 2,9 kg | 6,4 lb

COAU04-LD 685€

LED



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz (17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM


100~277 V | 60 Hz (17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 2,4 kg | 5,3 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 3 kg | 6,9 lb

COAU04XL 2525€

LED



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz (17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz (17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT 10 kg | 22 lb
PESO NETO

PACKAGING 110x110x90 cm | 43,3x43,3x35,4"
EMBALAJE 18 kg | 40 lb

Coral Seaurchin

Arturo Álvarez, 2011

MATERIALS Painted Stainless steel
MATERIALES Acero inoxidable pintado
Stainless steel
Acero inoxidable

- FINISHES
ACABADOS
- White · Blanco (BL)
- Beige · Beige (BE)
- Warm white · Blanco cálido (BC)
- Grey · Gris (G)
- Taupe · Topo (T)
- Black · Negro (N)
- Custom · Personalizado (CC)

CABLE Transparent or black
Transparente o negro
Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"


Lenght/Largo customizable

CANOPY
FLORÓN Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN (LED) Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR (LED) Bottom diffuser
Difusor inferior

COAU04G 932€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz (E27 LED Vintage-
Max. 4x12 W


120 V | 60 Hz (E26 LED - Max. 4x12 W

NET WEIGHT 4,5 kg | 9,9 lb
PESO NETO

PACKAGING 72x72x48 cm | 28,3x28,3x18,9"
EMBALAJE 7,2 kg | 15,9 lb

COAU04G-LD 1155€

LED



LIGHT SOURCE Light source built in
FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz (35W | 2700K | 3938lm
built in | upon request 3000K
4086lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz (35W | 2700K | 3938lm
built in | upon request 3000K
4086lm Dimmer: PHASE
CONTROL & 0-10V

NET WEIGHT 4,5 kg | 9,9 lb
PESO NETO

PACKAGING 72x72x48 cm | 28,3x28,3x18,9"
EMBALAJE 8 kg | 17,6 lb

Curvas
Arturo Álvarez, 2004

Table with 2 columns: Feature (MATERIALS, FINISHES, CABLE, CANOPY, DIFFUSER) and Description (Glass, finishes 02-90, transparent/black, canopy options, diffuser options).

CV04-1 336€

Technical drawing of CV04-1 pendant light with dimensions: 11,5 cm height, 15 cm diameter, 5,9" length.

Light source and packaging details: 230V/120V, E14/E12 LED bulbs, 1x7W max.

CV04 759€

Technical drawing of CV04 pendant light with dimensions: 18 cm height, 32 cm diameter, 12,6" length.

Light source and packaging details: 230V/120V, E27/E26 LED bulbs, 1x8W max.

CV04G 1284€

Technical drawing of CV04G pendant light with dimensions: 23 cm height, 50 cm diameter, 19,7" length.

Light source and packaging details: 230V/120V, E27/E26 LED bulbs, 4x12W max.

CV04G 1284€

Technical drawing of CV04G pendant light with dimensions: 23 cm height, 50 cm diameter, 19,7" length.

Light source and packaging details: 230V/120V, E27/E26 LED bulbs, 4x12W max.

Fluo
Arturo Álvarez, 2009

Table with 2 columns: Feature (MATERIALS, FINISHES, CABLE, CANOPY) and Description (Galvanized painted steel, finishes BL/CC, transparent/black, canopy options).

Gea
Arturo Álvarez, 2009

Table with 2 columns: Feature (MATERIALS, FINISHES) and Description (Painted Stainless steel, finishes BL/BE/BC/G/T/N/CC).

Table with 2 columns: Feature (CABLE, CANOPY, DIFFUSER) and Description (transparent/black, canopy options, bottom diffuser).

FL04 751€

Technical drawing of FL04 pendant light with dimensions: 60 cm height, 75 cm diameter, 23,6" length.

Light source and packaging details: 230V/120V, E27/E26 LED bulbs, 1x12W max.

GE04 354€

Technical drawing of GE04 pendant light with dimensions: 45 cm height, 19 cm diameter, 17,7" length.

Light source and packaging details: 230V/120V, E27/E26 LED bulbs, 1x12W max.

GE04-LD 534€




Technical drawing of GE04-LD pendant light with dimensions: 45 cm height, 19 cm diameter, 17,7" length.

Light source and packaging details: 17W LED, 2700K, 1645lm, dimmer compatible.


GE04-LD 534€

Technical drawing of GE04-LD pendant light with dimensions: 45 cm height, 19 cm diameter, 17,7" length.

Light source and packaging details: 17W LED, 2700K, 1645lm, dimmer compatible.

<div>Inn</div> <div>a-emotional light design team, 2021</div>		<div>IN04-Mini</div> <div>320€</div>	<div> <div>CE</div> <div> <div>c</div> <div>UL</div> <div>us</div> </div> <div>UK</div> <div>CA</div> <div>CCC</div> <div> <div></div> <div></div> <div></div> </div> </div>
<div>MATERIALS</div> <div>MATERIALES</div>	<div>Painted stainless steel</div> <div>Acero inoxidable pintado</div>	<div>  </div>	<div> <div>LIGHT SOURCE</div> <div>FUENTE DE LUZ</div> </div> <div>Recommended bulbs</div> <div>Bombillas recomendadas</div>
	<div>Steel painted in black</div> <div>Acero pintado en negro</div>		<div>230 V 50 Hz</div> <div>  <div>E14 LED Vintage-</div> <div>Max. 1x12 W</div> </div>
			<div>120 V 60 Hz</div> <div>  <div>E12 LED - Max. 1x12 W</div> </div>
<div>FINISHES</div> <div>ACABADOS</div>	<div>White · Blanco</div> <div> <div>BL</div> </div>		<div>NET WEIGHT</div> <div>PESO NETO</div> <div>0,7 kg 1,5 lb</div>
	<div>Warm white · Blanco cálido</div> <div> <div>BC</div> </div>		<div>PACKAGING</div> <div>EMBALAJE</div> <div>36x36x31 cm 14,2x14,2x12,2"</div> <div>1 kg 2,2 lb</div>
	<div>Grey · Gris</div> <div> <div>G</div> </div>		
	<div>Beige · Beige</div> <div> <div>BE</div> </div>		
	<div>Taupe · Topo</div> <div> <div>T</div> </div>		
<div>CABLE</div>	<div>Black · Negro</div>		
	<div>Standard: 150 cm 59,1"</div> <div>120 V: 200 cm 78,7"</div> <div>Lenght/Largo customizable</div>	<div>IN04</div> <div>389€</div>	<div> <div>CE</div> <div> <div>c</div> <div>UL</div> <div>us</div> </div> <div>UK</div> <div>CA</div> <div>CCC</div> <div> <div></div> <div></div> <div></div> </div> </div>

38

CANOPY FLORÓN	Matte white or matte black Blanco mate o negro mate 230V: Ø8cm 3,1" 120V: Ø12cm 4,7"	LA04-Mini-LD	415€	LED	CE cULus UKCA CCC
CANOPY FLORÓN	Matte white or matte black Blanco mate o negro mate 230V: Ø12cm 4,7" 120V: Ø12cm 4,7"				
		LIGHT SOURCE FUENTE DE LUZ		Light source built in Fuente de luz incluida	
		230 V 50 Hz		8W 2700K 960lm built in upon request 3000K 1067lm Dimmer: PHASE CUT	
		100~277 V 60 Hz		8W 2700K 960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)	
		NET WEIGHT PESO NETO		1 kg 2,2 lb	
		PACKAGING EMBALAJE		36x36x31 cm 14,2x14,2x12,2" 1,4 kg 3,1 lb	
		LA04		436€	
				CE cULus UKCA CCC	

39

Lea
Rafa Alonso, 2021

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Grey · Gris



Custom · Personalizado



CABLE

Transparent or black
Transparente o negro


Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"



LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

12W | 2700K | 1151lm
built in | upon request 3000K
1243lm Dimmer: PHASE CUT



100~277 V | 60 Hz

17W | 2700K | 1533lm
built in | upon request 3000K
1655lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

1,5 kg | 3,3 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
2,4 kg | 5,3 lb

LA04G 608€

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz


E26 LED - Max. 3x12 W

NET WEIGHT
PESO NETO

2,1 kg | 4,6 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
4,4 kg | 9,7 lb



LA04G-LD 740€

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1243lm Dimmer: PHASE CUT
upon request DALI/Switch DIM



100~277 V | 60 Hz


17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

2,3 kg | 5,1 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
4,6 kg | 10,1 lb



Luisa
Arturo Álvarez, 2015

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

Stainless steel
Acero inoxidable

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Beige · Beige



Grey · Gris



Taupe · Topo



Black · Negro



Custom · Personalizado



CABLE

Transparent
Transparente

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CANOPY
FLORÓN


Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

DIFFUSER
DIFUSOR

Bottom diffuser
Difusor inferior



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,6 kg | 3,5 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
3 kg | 6,6 lb

LS04-LD 639€

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1243lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz


17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

2,4 kg | 5,3 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
3,5 kg | 7,1 lb



LS04G 749€

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz


E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

2,7 kg | 6 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
4 kg | 9 lb



LS04G-LD 865€

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1243lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz


17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

3,3 kg | 7,3 lb

PACKAGING
EMBALAJE

51x51x53 cm | 20x20x20,9"
4,6 kg | 10,1 lb



Mytilus

Arturo Álvarez, 2019

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

Painted aluminum

Aluminio pintado

FINISHES

ACABADOS

White · Blanco

Black · Negro

Custom · Personalizado

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER

DIFUSOR


Glass sphere

Esfera de vidrio

*approximate measurements

medidas aproximadas

MY04786€LEDCEcULusUKCACCC



LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CUT

upon request DALI/Switch DIM

100~277 V | 60 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

3 kg | 6,6 lb


PACKAGING

EMBALAJE

60x60x22 cm | 23,6x23,6x8,7"

5,5 kg | 12,1 lb

MY04G1382€LEDCEcULusUKCACCC



LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CUT

upon request DALI/Switch DIM

100~277 V | 60 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

7,4 kg | 16,5 lb

PACKAGING

EMBALAJE

82x97x30 cm | 32,3x38,2x11,8"

7,6 kg | 16,7 lb

Nebra

Cenlitos, 2019

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

Steel painted in black

Acero pintado en negro

FINISHES

ACABADOS

Inox

Taupe · Topo

Custom · Personalizado

CABLE

Black · Negro

Standard Over all Height

230 V:150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: 30x5x2cm | 11,8x1,9x0,8"

120V: 30x12x2cm | 11,8x4,7x0,8"


DIFFUSER

DIFUSOR

Bottom & interior

Inferior e interior

NB04919€LEDCEcULusUKCACCC



LIGHT SOURCE

FUENTE DE LUZ

Built-in LED strip

Tira LED integrada

230 V | 50 Hz

20W | 2700K

3704lm built-in:

directional light 3224lm

decorative light 480lm

Dimmable TRIAC

120 V | 60 Hz

20W | 2700K

3704lm built-in:

directional light 3224lm

decorative light 480lm

Dimmable 0-10V

upon request TRIAC

NET WEIGHT

PESO NETO

2,2 kg | 4,8 lb


PACKAGING

EMBALAJE

111x32x26 cm | 43,7x12,6x10,2"

3,1 kg | 6,8 lb

NB04_1201102€LEDCEcULusUKCACCC



LIGHT SOURCE

FUENTE DE LUZ

Built-in LED strip

Tira LED integrada

230 V | 50 Hz

33W | 2700K

3867lm built-in:

directional light 3327lm

decorative light 570lm

Dimmer: PHASE CUT

100~277 V | 60 Hz

33W | 2700K

3867lm built-in:

directional light 3327lm

decorative light 570lm

Dimmer: 0-10V

upon request TRIAC

NET WEIGHT

PESO NETO

4,4 kg | 9,7 lb


PACKAGING

EMBALAJE

142x45x27 cm | 55,9x17,7x10,6"

8,2 kg | 18,1 lb

NB04_1601329€LEDCEcULusUKCACCC



LIGHT SOURCE

FUENTE DE LUZ

Built-in LED strip

Tira LED integrada

230 V | 50 Hz

42W | 2700K

4670lm built-in:

directional light 3931lm

decorative light 739lm

Dimmer: PHASE CUT

100~277 V | 60 Hz

42W | 2700K

4670lm built-in:

directional light 393lm

decorative light 739lm

Dimmer: 0-10V

upon request TRIAC

NET WEIGHT

PESO NETO

7 kg | 15,4 lb

PACKAGING

EMBALAJE

180x45x27 cm | 70,8x17,7x10,6"

11,3 kg | 24,9 lb

Nevo

Arturo Álvarez, 2007

MATERIALS Painted stainless steel

MATERIALES Acero inoxidable pintado

Steel gloss nickel- plated and stainless steel

Acero niquel-satinado y acero inoxidable

- FINISHES ACABADOS
- White · Blanco
- Wazzm white · Blanco cálido
- Beige · Beige
- Grey · Gris
- Taupe · Topo
- Custom · Personalizado

CABLE Transparent

Transparente

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY FLORÓN NEO4-1

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY FLORÓN NEO4|NEO4G

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

CANOPY FLORÓN

Matte white or matte black

Blanco mate o negro mate


230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER DIFUSOR

Inside diffuser

Difusor interno



LIGHT SOURCE Recommended bulbs

FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage- Max. 2x7 W

120 V | 60 Hz

E12 LED - Max. 2x7 W

NET WEIGHT 1,2 kg | 2,6 lb

PESO NETO

PACKAGING 36x36x31 cm | 14,2x14,2x12,2"

EMBALAJE 2,3 kg | 5 lb



NEO4-1-LD 613€

LED

LIGHT SOURCE Light source built in

FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz

12W | 2700K | 1151lm built in | upon request 3000K 1243lm Dimmer: PHASE CUT upon request DALI/Switch DIM

100~277 V | 60 Hz

12W | 2700K | 1153lm built in | upon request 3000K 1655lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)


1,9 kg | 4,2 lb

NET WEIGHT 1,9 kg | 4,2 lb

PESO NETO

PACKAGING 36x36x31 cm | 14,2x14,2x12,2"

EMBALAJE 2,6 kg | 5,1 lb



NEO4 751€

LIGHT SOURCE Recommended bulbs

FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage- Max. 3x8 W

120 V | 60 Hz


E26 LED - Max. 3x8 W

NET WEIGHT 3,1 kg | 6,8 lb

PESO NETO

PACKAGING 60x60x33 cm | 23,6x23,6x13"

EMBALAJE 5 kg | 11 lb



NEO4G 1415€

LIGHT SOURCE Recommended bulbs

FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage- Max. 4x12 W

120 V | 60 Hz


E26 LED - Max. 4x12 W

NET WEIGHT 5,6 kg | 12,3 lb

PESO NETO

PACKAGING 84x84x38 cm | 33x33x15"

EMBALAJE 9,4 kg | 20,7 lb



Onn

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

MATERIALES Acero inoxidable pintado

Stainless steel

Acero inoxidable

- FINISHES ACABADOS
- White · Blanco
- Wazzm white · Blanco cálido
- Beige · Beige
- Grey · Gris
- Taupe · Topo
- Black · Negro
- Custom · Personalizado

CABLE Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY FLORÓN

Matte white or matte black

Blanco mate o negro mate


230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER DIFUSOR

Bottom diffuser

Difusor inferior



LIGHT SOURCE Recommended bulbs

FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage- Max. 1x4 W

120 V | 60 Hz

E12 LED - Max. 1x4 W

NET WEIGHT 0,4 kg | 0,9 lb

PESO NETO

PACKAGING 21x21x22 cm | 8,3x8,3x8,7"

EMBALAJE 1 kg | 2,2 lb



ON04-Mini-LD 356€

LED

LIGHT SOURCE Light source built in

FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm built in | upon request 3000K 1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm built in | upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10 (only 120Vac TRIAC Dimmers)


1 kg | 2,2 lb

NET WEIGHT 1 kg | 2,2 lb

PESO NETO

PACKAGING 21x21x22 cm | 8,3x8,3x8,7"

EMBALAJE 1,6 kg | 3,6 lb



ON04-1 368€

LIGHT SOURCE Recommended bulbs

FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage- Max. 1x12 W

120 V | 60 Hz


E26 LED - Max. 1x12 W

NET WEIGHT 0,8 kg | 1,8 lb

PESO NETO

PACKAGING 36x36x31 cm | 14,2x14,2x12,2"

EMBALAJE 1,2 kg | 2,7 lb



ON04-1-LD 454€

LED

LIGHT SOURCE Light source built in

FUENTE DE LUZ Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm built in | upon request 3000K 1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm built in | upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10 (only 120Vac TRIAC Dimmers)


1 kg | 2,2 lb

NET WEIGHT 1 kg | 2,2 lb

PESO NETO

PACKAGING 36x36x31 cm | 14,2x14,2x12,2"

EMBALAJE 1,6 kg | 3,6 lb



Onn

Arturo Álvarez, 2017

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

Stainless steel

Acero inoxidable

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

33 cm · 13"

Ø 35 cm · 13,8"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

1,4 kg | 3,1 lb

PACKAGING

EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"

3 kg | 6,6 lb

ON04-LD

691€

LED

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER

DIFUSOR

Bottom diffuser

Difusor inferior

33 cm · 13"

Ø 35 cm · 13,8"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

100~277 V | 60 Hz

NET WEIGHT

PESO NETO

2 kg | 4,4 lb

PACKAGING

EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"

3,8 kg | 8,4 lb

ON04G

857€

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

2,3 kg | 5,1 lb

PACKAGING

EMBALAJE

51x51x53 cm | 20x20x20,9"

4,8 kg | 10,6 lb

Onn

Arturo Álvarez, 2017

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

Stainless steel

Acero inoxidable

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

47 cm · 18,5"

Ø 46 cm · 18,1"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

100~277 V | 60 Hz

NET WEIGHT

PESO NETO

3,4 kg | 7,5 lb

PACKAGING

EMBALAJE

51x51x53 cm | 20x20x20,9"

5,6 kg | 12,3 lb

ON04XL

1185€

LED

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER

DIFUSOR

Bottom diffuser

Difusor inferior

67 cm | 26,4"

Ø 66 cm · 26"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

5 kg | 11 lb

PACKAGING

EMBALAJE

71x71x75 cm | 28x28x29,5"

6,6 kg | 14,5 lb

ON04XL-LD

1365€

LED

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

100~277 V | 60 Hz

NET WEIGHT

PESO NETO

5,5 kg | 12,2 lb

PACKAGING

EMBALAJE

71x71x75 cm | 28x28x29,5"

7,1 kg | 15,1 lb

Parga
Cenlitos, 2023

Table with 2 columns: Category (MATERIALS, FINISHES, CABLE, CANOPY, DIFFUSER) and Description (Stone, Painted stainless steel, Natural color, Black, Black · Negro, Matte black · Negro mate, Bottom diffuser).

PA104 457€

Technical specifications and diagram for PA104 model.

PA204 457€

Technical specifications and diagram for PA204 model.

PA304 457€

Technical specifications and diagram for PA304 model.

Parga cerámica
Cenlitos, 2025

Table with 2 columns: Category (MATERIALS, FINISHES, CABLE, CANOPY, DIFFUSER) and Description (Ceramic, Painted stainless steel, Whyte · Blanco, Black · Negro, Burgundy · Borgoña, Matte black · Negro mate, Bottom diffuser).

PAC104 260€

Technical specifications and diagram for PAC104 model.

PAC104-LD 325€

Technical specifications and diagram for PAC104-LD model.

PAC204 260€

Technical specifications and diagram for PAC204 model.

Tati

Arturo Álvarez, 2011

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

Steel gloss nickel- plated and stainless steel

Acero niquel-satinado y acero inoxidable

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Custom · Personalizado

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

TA04-1

485€

CE

cULus

UKCA

CCC

UL

19 cm · 7,5"

Ø 45 cm · 17,7"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x8 W

120 V | 60 Hz

E26 LED - Max. 1x8 W

NET WEIGHT

PESO NETO

2 kg | 4,4 lb

PACKAGING

EMBALAJE

60x60x33 cm | 23,6x23,6x13"

3 kg | 6,6 lb

TA04-1-LD

693€

LED

CE

cULus

UKCA

CCC

UL

19 cm · 7,5"

Ø 45 cm · 17,7"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

2,5 kg | 5,5 lb

PACKAGING

EMBALAJE

56x46x37 cm | 22x18x14,6"

3,5 kg | 7,1 lb

TA04

673€

CE

cULus

UKCA

CCC

UL

22 cm · 8,7"

Ø 54 cm · 21,2"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz

E26 LED - Max. 3x12 W

NET WEIGHT

PESO NETO

3,1 kg | 6,8 lb

PACKAGING

EMBALAJE

60x60x33 cm | 23,6x23,6x13"

4 kg | 8,8 lb

TA04G

1270€

CE

cULus

UKCA

CCC

UL

28 cm · 11"

Ø 80 cm · 31,5"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 4x12 W

120 V | 60 Hz

E26 LED - Max. 4x12 W

NET WEIGHT

PESO NETO

4,3 kg | 9,5 lb

PACKAGING

EMBALAJE

84x84x38 cm | 33x33x15"

10,2 kg | 22,5 lb

Tempo Andante

Arturo Álvarez, 2016

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CABLE

Black waterproof neoprene cable H05RN-F

Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"

Lenght/largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Steel and stainless steel coated with epoxy paint in black

Acero y acero inoxidable pintado en negro

Ø12cm | 4,7"

STANDARDS TESTED

NORMAS ENSAYADAS

EN 60598

EN 60529

Degree IP | Grado IP

IP64

DIFFUSER

DIFUSOR

Bottom diffuser

Difusor inferior

TEAN04

461€

CE

cULus

UKCA

CCC

UL

50 cm · 19,6"

25x23 cm · 9,8x9"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT

PESO NETO

1,6 kg | 3,5 lb

PACKAGING

EMBALAJE

65x32x23 cm | 25,6x12,6x9,1"

1,8 kg | 4 lb

TEAN04-LD

665€

LED

CE

cULus

UKCA

CCC

UL

50 cm · 19,6"

25x23 cm · 9,8x9"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT/
upon request DALI/Switch DIM

100~277 V | 60 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

2,1 kg | 4,6 lb

PACKAGING

EMBALAJE

65x32x23 cm | 25,6x12,6x9,1"

2,4 kg | 5,5 lb

TEAN04-EXT

519€

EXT

CE

UKCA

CCC

UL

50 cm · 19,6"

25x23 cm · 9,8x9"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

220-240 V | 50/60 Hz

E27 LED Vintage-
Max. 1x15 W

BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid condition
Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad
not available in 120V

NET WEIGHT

PESO NETO

1,6 kg | 3,5 lb

PACKAGING

EMBALAJE

65x32x23 cm | 25,6x12,6x9,1"

1,8 kg | 4 lb

52

53

Tempo Vivace

Arturo Álvarez, 2016

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Beige · Beige



Grey · Gris



Taupe · Topo



Black · Negro



Custom · Personalizado



CABLE

Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE

Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"
Lenght/largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Steel and stainless steel coated with epoxy paint in black
Acero y acero inoxidable pintado en negro
Ø12cm | 4,7"

STANDARDS
TESTED
NORMAS
ENSAYADAS

EN 60598
EN 60529
Degree IP | Grado IP
IP64

DIFFUSER
DIFUSOR

Bottom diffuser
Difusor inferior

TEVIO4-Mini 350€



TEVIO4-Mini-LD 453€



TEVIO4 473€



TEVIO4-LD 673€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage-
Max. 1x4 W

120 V | 60 Hz

E12 LED - Max. 1x4 W

NET WEIGHT
PESO NETO

1 kg | 2,2 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
1,5 kg | 3,3 lb

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
1,3 kg | 2,9 lb

NET WEIGHT
PESO NETO

1,6 kg | 3,5 lb

PACKAGING
EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"
1,6 kg | 3,5 lb

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,6 kg | 3,5 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
2,2 kg | 4,8 lb

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/Switch DIM

100~277 V | 60 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
2,2 kg | 4,6 lb

NET WEIGHT
PESO NETO

2,2 kg | 4,6 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
3 kg | 6,6 lb

Tempo Vivace

Arturo Álvarez, 2016

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

FINISHES
ACABADOS

White · Blanco



Warm white · Blanco cálido



Beige · Beige



Grey · Gris



Taupe · Topo



Black · Negro



Custom · Personalizado



CABLE

Transparent or black
Transparente o negro

Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable

CABLE

Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"
Lenght/largo customizable

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø8cm | 3,1"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Matte white or matte black
Blanco mate o negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

CANOPY
FLORÓN

Steel and stainless steel coated with epoxy paint in black
Acero y acero inoxidable pintado en negro
Ø12cm | 4,7"


STANDARDS
TESTED
NORMAS
ENSAYADAS

EN 60598
EN 60529
Degree IP | Grado IP
IP64


DIFFUSER
DIFUSOR

Bottom diffuser
Difusor inferior


TEVIO4-EXT 515€



TEVIO4G 608€



TEVIO4G-LD 762€



LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

220-240 V | 50/60 Hz

E27 LED Vintage-
Max. 1x15 W

Only LED BULB suitable for contact with water and use in humid condition
Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad not available in 120V

NET WEIGHT
PESO NETO

2,2 kg | 4,6 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
3 kg | 6,6 lb

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

2,1 kg | 4,4 lb

PACKAGING
EMBALAJE

72x72x43 cm | 28,3x28,3x17"
2,8 kg | 6,2 lb

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CUT
upon request DALI/ Switch DIM

100~277 V | 60 Hz

17W | 2700K | 1645lm
built in | upon request 3000K
1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

2,5 kg | 5,5 lb

PACKAGING
EMBALAJE

72x72x43 cm | 28,3x28,3x17"
4 kg | 8,8 lb

Virginia

Arturo Álvarez, 2016

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

Stainless steel

Acero inoxidable

FINISHES

ACABADOS

White · Blanco

Beige · Beige

Warm white · Blanco cálido

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CABLE

Black waterproof neoprene cable H05RN-F

Cable de neopreno negro resistente al agua H05RN-F

Standard: 150cm | 59,1"

Lenght/largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø8cm | 3,1"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

CANOPY

FLORÓN

Steel and stainless steel coated with epoxy paint in black

Acero y acero inoxidable pintado en negro

Ø12cm | 4,7"

STANDARDS

TESTED

NORMAS

ENSAYADAS

EN 60598

EN 60529

Degree IP | Grado IP

IP64

DIFFUSER

DIFUSOR

Bottom diffuser

Difusor inferior

VG04A414€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 1x12 W

E26 LED - Max. 1x12 W

3,5 kg | 7,7 lb

51x51x53 cm | 20,7x20,7x20,9"

4,2 kg | 9,3 lb

VG04A-LD619€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

100~277 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Light source built in

Fuente de luz incluida

17W | 2700K | 1645lm

built in | upon request 3000K

1776lm Dimmer: PHASE CUT

upon request DALI/ Switch DIM

17W | 2700K | 1645lm

built in | upon request 3000K

1776lm Dimmer: PHASE CONTROL & 0-10V

(only 120Vac TRIAC Dimmers)

3,8 kg | 8,4 lb

51x51x53 cm | 20,7x20,7x20,9"

4,5 kg | 9,9 lb

VG04A-EXT515€

LIGHT SOURCE

FUENTE DE LUZ

220-240 V | 50/60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 1x15 W

BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid condition

Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad

not available in 120V

3,5 kg | 7,7 lb

51x51x53 cm | 20,7x20,7x20,9"

4,2 kg | 9,3 lb

VG04B382€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 1x12 W

E26 LED - Max. 1x12 W

3 kg | 6,6 lb

44x44x40 cm | 17,3x17,3x15,7"

3,7 kg | 8,2 lb

V

Héctor Serrano, 2007

MATERIALS

MATERIALES

Polycarbonate

Policarbonato

FINISHES

ACABADOS

White · Blanco

Black · Negro

Terracotta · Terracota

Custom · Personalizado

CABLE

Transparent or black

Transparente o negro

Standard: 150 cm | 59,1"

120 V: 200 cm | 78,7"

Lenght/Largo customizable

CANOPY

FLORÓN

Matte white or matte black

Blanco mate o negro mate

230V: Ø12cm | 4,7"

120V: Ø12cm | 4,7"

DIFFUSER

DIFUSOR

VG04

Glass diffuser

Difusor de vidrio

DIFFUSER

DIFUSOR

VG04G

Acrylic diffuser

Difusor acrilico

VG04B-LD568€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

100~277 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Light source built in

Fuente de luz incluida

17W | 2700K | 1645lm

built in | upon request 3000K

1776lm Dimmer: PHASE CUT

upon request DALI/ Switch DIM

17W | 2700K | 1645lm

built in | upon request 3000K

1776lm Dimmer: PHASE CONTROL & 0-10V

(only 120Vac TRIAC Dimmers)

3,3 kg | 7,3 lb

44x44x40 cm | 17,3x17,3x15,7"

4 kg | 8,8 lb

VG04B-EXT461€

LIGHT SOURCE

FUENTE DE LUZ

220-240 V | 50/60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 1x15 W

BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid condition

Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad

not available in 120V

3 kg | 6,6 lb

44x44x40 cm | 17,3x17,3x15,7"

3,7 kg | 8,2 lb

VV04890€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 1x8 W

E26 LED - Max. 1x8 W

5,4 kg | 12 lb

84x84x38 cm | 33x33x15"

9,6 kg | 21,2 lb

VV04G1525€

LIGHT SOURCE

FUENTE DE LUZ

230 V | 50 Hz

120 V | 60 Hz

NET WEIGHT

PESO NETO

PACKAGING

EMBALAJE

Recommended bulbs

Bombillas recomendadas

E27 LED Vintage-
Max. 4x8 W

E26 LED - Max. 4x8 W

12 kg | 26,5 lb

110x110x33 cm | 43,3x43,3x13"

15 kg | 33 lb


Vento
Arturo Álvarez, 2005

MATERIALS
MATERIALES
FINISHES
ACABADOS

- Glass
Vidrio
02
87
89
90
Color combination
90+95

CABLE
Transparent or black
Transparente o negro
Standard: 150 cm | 59,1"
120 V: 200 cm | 78,7"
Lenght/Largo customizable
CANOPY
FLORÓN
Stainless steel
Acero inoxidable
230V: 13x11cm | 5,1x4,3"
120V: 13x11cm | 5,1x4,3"

DIFFUSER
DIFUSOR
Bottom diffuser
Difusor inferior



Depth · Profundidad
19 cm | 7,5"

LIGHT SOURCE
FUENTE DE LUZ
Recommended bulbs
Bombillas recomendadas
230 V | 50 Hz
20W | 2700K | 2637
built in | upon request 3000K
2721lm Dimmer: DALI/
Switch DIM upon request
PHASE CUT
100-277 V | 60 Hz
20W | 2700K | 2637
built in | upon request 3000K
2721lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)
NET WEIGHT
PESO NETO
5,6 kg | 12,3 lb
PACKAGING
EMBALAJE
31x111x26 cm | 12,2x43,7x10,2"
9,8 kg | 21,6 lb

Woods
Héctor Serrano, 2011


MATERIALS
MATERIALES
Natural color
Color natural
*Height is not adjustable on site
*Altura no ajustable

FINISHES
ACABADOS

CABLE
Transparent
Transparente

CANOPY
FLORÓN
Matte white
Blanco mate
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

DIFFUSER
DIFUSOR
Glass diffuser
Difusor de vidrio



LIGHT SOURCE
FUENTE DE LUZ
Recommended bulbs
Bombillas recomendadas
230 V | 50 Hz
E27 LED Vintage-
Max. 1x12 W
120 V | 60 Hz
E26 LED - Max. 1x12 W
NET WEIGHT
PESO NETO
14,3 kg | 31,5 lb
PACKAGING
EMBALAJE
60x60x33 cm | 23,6x23,6x13"
17 kg | 37,7 lb

Compositions
Composiciones

Agasallo
Héctor Serrano, 2021

MATERIALS
MATERIALES
Painted stainless steel
Acero inoxidable pintado

Stainless steel
Acero inoxidable

- White · Blanco
Warm white · Blanco cálido
Beige · Beige
Grey · Gris
Taupe · Topo
Black · Negro
Custom · Personalizado


LAMP SHADE
TULIPA
ref. 1xAG104, 1xAG204,
1xAG304, 1xAG404

CABLE
Black · Negro

Lenght/Largo customizable

CANOPY
FLORÓN
Steel painted in black matte
Acero pintado en negro mate
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

4 x REF. PIEZA002
Finish black matte



LIGHT SOURCE
FUENTE DE LUZ
Recommended bulbs
Bombillas recomendadas
230 V | 50 Hz
E27 LED Vintage-
Max. 4x12 W
120 V | 60 Hz
E26 LED - Max. 4x12 W
NET WEIGHT
PESO NETO
4,5 kg | 9,9 lb
PACKAGING
EMBALAJE
46x24x25 cm | 18,1x9,4x9,8"
44x44x40 cm | 17,3x17,3x15,7"
47x47x63 cm | 18,5x18,5x24,8"
51x51x53 cm | 20x20x20,9"
10,6 kg | 23,4 lb

Ballet

Héctor Serrano, 2016

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 1xBAPI04, 1xBARE04, 1xBALAO4

CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

BA04-3 1865€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 5,7 kg | 12,6 lb
PESO NETO

PACKAGING 60x80x118 cm | 23,6x31,5x46,5"
EMBALAJE 14 kg | 30,2 lb

Ballet

Héctor Serrano, 2016

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)

LAMPSHADE TULIPA ref. 1xBAPI04, 1xBARE04, 1xBALAO4


CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN Steel painted in white
Acero pintado en blanco
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

3 x REF. PIEZA002
Finish white

BA04-3-P 1746€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E14 LED Vintage-
Max. 3x12 W

120 V | 60 Hz E12 LED - Max. 3x12 W

NET WEIGHT 3,5 kg | 7,7 lb
PESO NETO

PACKAGING 60x60x33 cm | 23,6x23,6x13"
EMBALAJE 44x44x40 cm | 17,3x17,3x15,7"
44x44x40 cm | 17,3x17,3x15,7"
7,8 kg | 17,2 lb

Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 1xCOAU04, 1xCOSE04, 1xCOGA04

CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

C004-3 1697€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 6,9 kg | 15,2 lb
PESO NETO

PACKAGING 60x80x86 cm | 23,6x31,5x33,8"
EMBALAJE 12 kg | 26,5 lb

Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Black · Negro (N)
 - Custom · Personalizado (CC)

LAMPSHADE TULIPA ref. 1xCOAU04, 1xCOSE04, 1xCOGA04


CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN Steel painted in white
Acero pintado en blanco
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

3 x REF. PIEZA002
Finish white

C004-3-P 1396€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 4 kg | 8,9 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 44x44x40 cm | 17,3x17,3x15,7"
36x36x30 cm | 14,2x14,2x11,8"
6,2 kg | 13,6 lb

Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 1xCOAU04, 1xCOCY04, 1xCOSE04, 1xCOGA04, 1xCORE04

CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

C004-5 2608€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 5x12 W

120 V | 60 Hz E26 LED - Max. 5x12 W

NET WEIGHT 9,6 kg | 21,2 lb
PESO NETO

PACKAGING 60x80x118 cm | 23,6x31,5x46,5"
EMBALAJE 17,5 kg | 38,6 lb

Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 2xCOAU04, 1xCOCY04, 2xCOSE04, 2xCOGA04, 2xCORE04, 1xCOAU04G

CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø120cm | 47,2"
120V: Ø120cm | 47,2"

C004-10 5595€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 13x12 W

120 V | 60 Hz E26 LED - Max. 10x12 W

NET WEIGHT 35,3 kg | 77,8 lb
PESO NETO

PACKAGING 80x125x138 cm | 31,5x49,2x54,3"
EMBALAJE 56 kg | 123,5 lb

Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Black · Negro (N)
 - Custom · Personalizado (CC)

LAMPSHADE TULIPA ref. 1xCOAU04, 1xCOCY04, 1xCOSE04, 1xCOGA04, 1xCORE04


CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN Steel painted in white
Acero pintado en blanco
230V: Ø12cm | 4,7"
120V: Ø12cm | 4,7"

3 x REF. PIEZA002
Finish white

C004-5-P 2262€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 5x12 W

120 V | 60 Hz E26 LED - Max. 5x12 W

NET WEIGHT 7,4 kg | 16,3 lb
PESO NETO

PACKAGING 44x44x40 cm | 17,3x17,3x15,7"
EMBALAJE 44x44x40 cm | 17,3x17,3x15,7"
36x36x30 cm | 14,2x14,2x11,8"
36x36x30 cm | 14,2x14,2x11,8"
66x32x23 cm | 26x12,6x9,1"
10 kg | 22 lb

Curvas

Arturo Álvarez, 2004

MATERIALS Glass
MATERIALES Vidrio

- FINISHES ACABADOS
- 02 (White)
 - 87 (Light Orange)
 - 89 (Dark Orange)
 - 90 (Dark Brown)

LAMPSHADE TULIPA ref. 3xCV04


CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

DIFFUSER DIFUSOR Bottom diffuser
Difusor inferior

CV04C-3 2439€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage-
Max. 3x12 W

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 8 kg | 17,6 lb
PESO NETO

PACKAGING 60x80x95 cm | 23,6x31,5x37,4"
EMBALAJE 16 kg | 35 lb

Arturo Álvarez, 2004

DIFFUSER	Bottom diffuser
DIFUSOR	Difusor inferior

Technical drawing of a chandelier. The chandelier features a circular canopy at the top, from which seven vertical rods hang down to support seven cylindrical shades. The shades are arranged in a circular pattern, with some overlapping. The drawing includes the following dimensions:

- Height of the canopy: 18 cm · 7,1"
- Height of the rods: 250 cm · 98,4"
- Width of the rods: 102x102 cm · 40,1x40,1"

PACKAGING	80x120x125 cm 31,5x47,2x49,2"
EMBALAJE	35 kg 77 lb

CE cUL US UK CA CCC

Arturo Álvarez, 2009

CANOPY	Stainless steel
FLORÓN	Acero inoxidable
230V: Ø14cm	5,51" h10cm 3,9"
120V: Ø14cm	5,51" h10cm 3,9"

70 cm · 28"

Ø 140 cm · 55"

PACKAGING	77x82x139 cm 30,3x32,3x54,7"
EMBALAJE	22 kg 48,5 lb
	77x82x139 cm 30,3x32,3x54,7"
	20 kg 44,1 lb

2009      

Arturo Álvarez, 2009

CANOPY Stainless steel
FLORÓN Acero inoxidable

230V: Ø14cm | 5,51" h14cm | 5,5"
120V: Ø14cm | 5,51" h14cm | 5,5"

*Height is not adjustable on site
*Altura no ajustable in situ

PACKAGING	77x82x200 cm 30,3x32,3x78,7"
EMBALAJE	80x120x200 cm 31,5x47,2x78,7"
	77x82x77 cm 30,3x32,3x30,3"
	135 kg 297 lb


2009

Arturo Álvarez, 2019

CANOPY	Steel painted in black
FLORÓN	or white
	Acero pintado en negro
	o blanco
230V:	Ø15 ₍₁₂₎ cm 5,9 _(4,7) "
120V:	Ø15 ₍₁₂₎ cm 5,9 _(4,7) "

*approximate measurements
medidas aproximadas

Technical drawing of a chair. The drawing shows a side profile of the chair. The seat is a wide, flat, oval shape. The backrest is a tall, narrow, curved shape. The legs are thin and curved. Dimensions are given: 30 cm · 11.8" for the seat height and 136x140 cm · 53,5x55,1" for the seat dimensions.

100-277 V | 60 Hz |  25W | 2700K | 2880lm
built in | upon request 3000K
3201lm Dimmer: PHASE
CONTROL & 0-10V (only
120Vac TRIAC Dimmers)

PACKAGING	82x97x105 cm 35,4x38,2x41,3"
EMBALAJE	28 kg 61,7 lb

CE cUL US UK CA CCC

Arturo Álvarez, 2007


Steel gloss nickel- plated and
stainless steel
Acero niquel-satinado y
acero inoxidable

CANOPY	DIBOND®
FLORÓN	230V: Ø60cm 23,6"
	120V: Ø60cm 23,6"










PACKAGING	60x80x106 cm 23,6x31,5x41,2"
EMBALAJE	20 kg 40 lb

CE cULus UKCA CCC



PACKAGING	80x125x135 cm 31,5x49,2x53,1"
EMBALAJE	53 kg 116,8 lb

Arturo Álvarez, 2007

Steel gloss nickel- plated and
stainless steel
Acero niquel-satinado y
acero inoxidable


CANOPY	DIBOND®
FLORÓN	230V: Ø120cm 47,2"
	120V: Ø120cm 47,2"


Cenlitros, 2023

Cenlitros, 2023

3 x REF. PIEZA006


DIFFUSER	Bottom diffuser
DIFUSOR	Difusor inferior

LED   CE  UKCA  



PACKAGING	36x26x19 cm 14,2x10,2x7,5"
EMBALAJE	36x26x19 cm 14,2x10,2x7,5"
	20x20x34 cm 17,9x7,9x13,4"
	7,2 kg 15,9 lb

LED CE UK CA



PACKAGING	36x26x19 cm	14,2x10,2x7,5"
EMBALAJE	36x26x19 cm	14,2x10,2x7,5"
	20x20x34 cm	1 7,9x7,9x13,4"
		7,2 kg 15,9 lb

Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Steel gloss nickel- plated and stainless steel
Acero niquel-satinado y acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 3xTA06G

CABLE Transparent
Transparente

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

TA04-3 1604€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E14 LED Vintage- Max. 6x7 W

120 V | 60 Hz E12 LED - Max. 6x7 W

NET WEIGHT PESO NETO 6 kg | 13,2 lb

PACKAGING EMBALAJE 60x80x82 cm | 23,6x31,5x32,3" 19 kg | 41,9 lb

Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Steel gloss nickel- plated and stainless steel
Acero niquel-satinado y acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 6xTA06G, 4xTA06P

CABLE Transparent
Transparente

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø120cm | 47,2"
120V: Ø120cm | 47,2"

TA04-10 4771€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E14 LED Vintage- Max. 16x7 W

120 V | 60 Hz E12 LED - Max. 16x7 W

NET WEIGHT PESO NETO 19 kg | 41,9 lb

PACKAGING EMBALAJE 80x125x135 cm | 31,5x49,2x53,1" 55kg | 121,3 lb

Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Steel gloss nickel- plated and stainless steel
Acero niquel-satinado y acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 3xTA06G, 2xTA06P

CABLE Transparent
Transparente

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

TA04-5 2376€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E14 LED Vintage- Max. 8x7 W

120 V | 60 Hz E12 LED - Max. 8x7 W

NET WEIGHT PESO NETO 8,9 kg | 19,6 lb

PACKAGING EMBALAJE 60x80x82 cm | 23,6x31,5x32,3" 25 kg | 55,1 lb

Ura

Arturo Álvarez, 2017

MATERIALS Painted stainless steel
MATERIALES Acero inoxidable pintado

Stainless steel
Acero inoxidable

- FINISHES ACABADOS
- White · Blanco (BL)
 - Warm white · Blanco cálido (BC)
 - Beige · Beige (BE)
 - Grey · Gris (G)
 - Taupe · Topo (T)
 - Black · Negro (N)
 - Custom · Personalizado (CC)


LAMPSHADE TULIPA ref. 1xUR104, 1xUR204, 1xUR304

CABLE Transparent or black
Transparente o negro

Lenght/Largo customizable

CANOPY FLORÓN DIBOND®
230V: Ø60cm | 23,6"
120V: Ø60cm | 23,6"

UR04-3 1731€



LIGHT SOURCE Recommended bulbs
FUENTE DE LUZ Bombillas recomendadas

230 V | 50 Hz E27 LED Vintage- Max. 3x12 W

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT PESO NETO 10,2 kg | 22,5 lb

PACKAGING EMBALAJE 60x80x95 cm | 23,6x31,5x37,4" 10,2 kg | 22,5 lb

Brétema

N New collection


Brétema

a-emotional light design team, 2025

MATERIALS MATERIALES	Painted stainless steel Acero inoxidable pintado
FINISHES ACABADOS	White · Blanco BL
HANGING SYSTEM SISTEMA DE SUSPENSIÓN	Stainless steel wire Cable de acero inoxidable *Customizable lenght *Largo customizable
CANOPY FLORÓN	White aluminum Aluminio blanco

BR04S

4250€



Depth · Profundidad
150 cm | 59,1"

LIGHT SOURCE
FUENTE DE LUZ

Suspended LED Spotlight
Foco LED Suspendido

230 V | 50 Hz
100~277 V | 60 Hz

2x8W 2700K
800lm built in

FINISHES
ACABADOS

Matte black
Negro mate N

*Includes metal rod and canopy
*Incluye tubo de metal y florón


Brétema

a-emotional light design team, 2025

MATERIALS MATERIALES	Painted stainless steel Acero inoxidable pintado
FINISHES ACABADOS	White · Blanco BL
HANGING SYSTEM SISTEMA DE SUSPENSIÓN	Stainless steel wire Cable de acero inoxidable *Customizable lenght *Largo customizable
CANOPY FLORÓN	White aluminum Aluminio blanco

BR04M

6750€



Depth · Profundidad
200 cm | 78,7"

LIGHT SOURCE
FUENTE DE LUZ

Suspended LED Spotlight
Foco LED Suspendido

230 V | 50 Hz
100~277 V | 60 Hz

2x8W 2700K
800lm built in


FINISHES
ACABADOS

Matte black
Negro mate N

*Includes metal rod and canopy
*Incluye tubo de metal y florón

BR04L

9540€



Depth · Profundidad
230 cm | 90,6"

LIGHT SOURCE
FUENTE DE LUZ

Suspended LED Spotlight
Foco LED Suspendido

230 V | 50 Hz
100~277 V | 60 Hz

2x8W 2700K
800lm built in

FINISHES
ACABADOS

Matte black
Negro mate N

*Includes metal rod and canopy
*Incluye tubo de metal y florón

Wall & ceiling lamps

Apliques y plafones

Ballet

Héctor Serrano, 2016

MATERIALS
MATERIALES

Painted stainless steel
Acero inoxidable pintado

FINISHES
ACABADOS

- White · Blanco
- Warm white · Blanco cálido
- Beige · Beige
- Grey · Gris
- Taupe · Topo
- Custom · Personalizado

SUPPORT
SOPORTE

Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN


Wall lamp
Aplique

DIFFUSER
DIFUSOR

Inside diffuser
Difusor interno

BA06


373€



Depth · Profundidad
15 cm | 5,9"

BA06-LD

475€



Depth · Profundidad
15 cm | 5,9"
Depth 110 V · Profundidad
10 cm | 3,9"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz
8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz
8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

1 kg | 2,3 lb

PACKAGING
EMBALAJE

44x44x20 cm | 17,3x17,3x7,9"
2,3 kg | 5,1 lb

Blum

Arturo Álvarez, 2015

MATERIALS
MATERIALES

Painted stainless thread
Hilo de acero
inoxidable pintado

FINISHES
ACABADOS

White · Blanco

SUPPORT
SOPORTE


Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall lamp
Aplique

BL06

353€



Depth · Profundidad
21 cm | 8,2"

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz
E27 LED Vintage-
Max. 1x12 W

120 V | 60 Hz
E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,1 kg | 2,4 lb

PACKAGING
EMBALAJE

44x44x40 cm | 17,3x17,3x15,7"
1,5 kg | 3,3 lb

Cors

Arturo Álvarez, 2011

MATERIALS
MATERIALES

Painted stainless steel
Acero
inoxidable pintado

FINISHES
ACABADOS

- White · Blanco
- Warm white · Blanco cálido
- Beige · Beige
- Grey · Gris
- Taupe · Topo
- Custom · Personalizado

SUPPORT
SOPORTE

Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall lamp
Aplique

SUPPORT
SOPORTE

Steel gloss nickel- plated
and stainless steel
Acero niquel-satinado y acero
inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN


Wall lamp
Aplique

DIFFUSER
DIFUSOR

Inside diffuser
Difusor interno

CR06

258€



Depth · Profundidad
15 cm | 5,9"

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz
G9 LED - Max. 2x4 W

120 V | 60 Hz
G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO


0,6 kg | 1,3 lb

PACKAGING
EMBALAJE

51x19x27 cm | 20,1x7,5x10,6"
1 kg | 2,2 lb

CR06-LD

387€



Depth · Profundidad
15 cm | 5,9"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz
8W | 2700K | 960lm built in
upon request 3000K 1067lm
Dimmer: PHASE CUT

100~277 V | 60 Hz
8W | 2700K | 960lm built in
upon request 3000K 1067lm
Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

1,1 kg | 2,4 lb










PACKAGING
EMBALAJE

51x19x27 cm | 20,1x7,5x10,6"
1,5 kg | 3,3 lb

Curvas

Arturo Álvarez, 2004










MATERIALS MATERIALES	Glass Vidrio	
FINISHES ACABADOS	02 	89 
	87 	90 
SUPPORT SOPORTE	Stainless steel Acero inoxidable	
	MOUNTING OPTIONS OPCIONES DE INSTALACIÓN	
	Wall lamp Aplique	
DIFFUSER DIFUSOR	Glass diffuser Difusor de vidrio	

CV06	453€	     	
		LIGHT SOURCE	Recommended bulbs
		FUENTE DE LUZ	Bombillas recomendadas
		230 V 50 Hz	 E14 LED Vintage- Max. 2x7 W
		120 V 60 Hz	 E12 LED - Max. 2x7 W
		NET WEIGHT	1,7 kg 3,7 lb
		PESO NETO	
		PACKAGING	65x32x23 cm 25,6x12,6x9,1"
		EMBALAJE	3 kg 6,5 lb
			
Depth · Profundidad			
12 cm 4,7"			

Gea

Arturo Álvarez, 2009

MATERIALS MATERIALES	Painted stainless steel Acero inoxidable pintado	
FINISHES ACABADOS	White · Blanco	
	Warm white · Blanco cálido	
	Beige · Beige	
	Grey · Gris	
	Taupe · Topo	
	Custom · Personalizado	
SUPPORT SOPORTE	Steel gloss nickel- plated and stainless steel Acero niquel-satinado y acero inoxidable	
	MOUNTING OPTIONS OPCIONES DE INSTALACIÓN	
	Wall lamp Aplique	
DIFFUSER DIFUSOR	Inside diffuser Difusor interno	

GE06	258€	     	
			
LIGHT SOURCE FUENTE DE LUZ		Recommended bulbs Bombillas recomendadas	
230 V 50 Hz			G9 LED - Max. 2x4 W
120 V 60 Hz			G9 LED - Max. 2x4 W
NET WEIGHT PESO NETO		0,6 kg 1,3 lb	
PACKAGING EMBALAJE		36x26x19 cm 14,2x10,2x7,5" 1 kg 2,2 lb	
Depth · Profundidad 13 cm 5,1"			


GE06-LD	387€	<div>LED</div>	<div><div>CE</div><div>UL US</div><div>UK CA</div><div>CCC</div><div>ETL</div></div>	
<div><div>26 cm · 10,2"</div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><</div></div>				

Kala

Arturo Álvarez, 2011

MATERIALS MATERIALES	Painted stainless steel Acero inoxidable pintado	
FINISHES ACABADOS	White · Blanco	
	Warm white · Blanco cálido	
	Beige · Beige	
	Grey · Gris	
	Taupe · Topo	
	Custom · Personalizado	
SUPPORT SOPORTE	Steel gloss nickel- plated and stainless steel Acero niquel-satinado y acero inoxidable	

MOUNTING OPTIONS OPCIONES DE INSTALACIÓN	
Wall lamp Aplique	
DIFFUSER DIFUSOR	Inside diffuser Difusor interno

LIGHT SOURCE FUENTE DE LUZ		Light source built in Fuente de luz incluida			
230 V 50 Hz		8W 2700K 960lm built in upon request 3000K 1067lm Dimmer: PHASE CUT 			
100~277 V 60 Hz		8W 2700K 960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)			
NET WEIGHT PEÑO NETO		1,1 kg 2,4 lb			
PACKAGING EMBALAJE					
Depth · Profundidad 14 cm 5,5"					

Kite

Arturo Álvarez, 2011

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Grey · Gris

Custom · Personalizado

BL

BC

G

CC

SUPPORT

SOPORTE

Painted steel

Acero pintado

MOUNTING OPTIONS


OPCIONES DE INSTALACIÓN

Wall & ceiling lamp

Aplique y plafón

KL06	254€	<div>CEULUSUKCACCC</div>			
<div><div>24 cm · 9,4"</div><div></div><div>22 cm · 8,7"</div></div>		LIGHT SOURCE			Recommended bulbs
		FUENTE DE LUZ			Bombillas recomendadas
		230 V 50 Hz		G9 LED - Max. 2x4 W	
		120 V 60 Hz		G9 LED - Max. 2x4 W	
		NET WEIGHT			0,6 kg 1,3 lb
<div>Depth · Profundidad</div> <div>14 cm 5,5"</div>		PESO NETO			
		PACKAGING			
		EMBALAJE			

KL06-LD	387€	<div>LED</div>	<div>CEULUKCACCC</div>	
<div><div></div><div>24 cm · 9,4"</div><div></div></div>				
<div>24 cm · 9,4"</div>				
Depth · Profundidad 14 cm 5,5"				
		<div>LIGHT SOURCE</div> <div>FUENTE DE LUZ</div>		
		<div>230 V 50 Hz</div>		
		<div><div></div> 8W 2700K 960lm</div> <div>built in upon request 3000K</div> <div>1067lm Dimmer: PHASE CUT</div> <div><div>D</div></div>		
		<div><div></div> 8W 2700K 960lm</div> <div>built in upon request 3000K</div> <div>1067lm Dimmer: PHASE</div> <div>CONTROL & 0-10V(only</div> <div>120Vac TRIAC Dimmers)</div>		
		<div>NET WEIGHT</div> <div>PESO NETO</div>		
		<div>1,1 kg 2,4 lb</div>		
		<div>PACKAGING</div> <div>EMBALAJE</div>		
		<div>36x26x19 cm 14,2x10,2x7,5"</div> <div>1,5 kg 3,3 lb</div>		

KT06-LD	937€	<div>LED</div>	<div>CEULUKCACCCADA</div>	
<div>84 cm · 33,1"</div>  <div>92 cm · 36,2"</div>		<div>LIGHT SOURCE</div> <div>FUENTE DE LUZ</div> <div>Light source built in</div> <div>Fuente de luz incluida</div> <div>230 V 50 Hz</div> <div><div>17W 2700K 3636lm</div><div>built in upon request 3000K</div><div>3780lm Dimmer: PHASE CUT</div><div><div>C</div></div></div> <div>100-277 V </div> <div>60 Hz</div> <div><div>17W 2700K 3636lm</div><div>built in upon request 3000K</div><div>3780lm Dimmer: PHASE</div><div>CONTROL & 0-10V (only</div><div>120Vac TRIAC Dimmers)</div></div> <div>NET WEIGHT</div> <div>PESO NETO</div> <div>8,5 kg 18,7 lb</div> <div>PACKAGING</div> <div>EMBALAJE</div> <div>71x71x15 cm 28x28x5,9"</div> <div>9,2 kg 20,3 lb</div>		
<div>Depth · Profundidad</div> <div>9 cm 3,5"</div>				

Li

Arturo Álvarez, 2013

MATERIAL
MATERIAL

FINISHES
ACABADOS

SUPPORT
SOPORTE

Pressed cellulose
Celulosa prensada

42

43

46

47

49

50

51

52

Stainless steel
Acero inoxidable

HORIZONTAL MOUNTING ONLY
SÓLO INSTALACIÓN HORIZONTAL

Wall lamp
Aplique

KT06G-LD

1623€

LED

CE

UL

UK


CA

CCC

EN

ADA

120 cm · 47,2"



134 cm · 52,7"

Depth · Profundidad
9 cm | 3,5"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

34W | 2700K | 7272lm

built in | upon request 3000K

7560lm Dimmer: PHASE CUT

C

A

B

100~277 V | 60 Hz

34W | 2700K | 7272lm

built in | upon request 3000K

7560lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

7,5 kg | 16,5 lb

PACKAGING
EMBALAJE

102x102x13 cm | 40,1x40,1x5,1"

11 kg | 24,2 lb

LI06

396€

LED

CE

cUL

us

UK


CA

CCC

EN

ADA

15,5 cm · 6,1"



51,5 cm · 20,3"

Depth · Profundidad
6,5 cm | 2,6"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

11,8W | 2700K | 1604lm

built in | upon request 3000K 1654lm Dimmer: PHASE CUT

C

A

B

100~277 V | 60 Hz

11,8W | 2700K | 1546lm

built in | upon request 3000K 1805lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

1,2 kg | 2,6 lb

PACKAGING
EMBALAJE

32x65x23 cm | 12,6x25,6x9"

2 kg | 4,4 lb

LI06G

620€

LED

CE


UK

CA

CCC

EN

16 cm · 6,3"



103,5 cm · 40,7"

Depth · Profundidad
6,5 cm | 2,6"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

17W | 2700K | 2558lm

built in | upon request 3000K 2632lm Dimmer: PHASE CUT

C

A

B

NET WEIGHT
PESO NETO

2,9 kg | 6,4 lb

PACKAGING
EMBALAJE

110x31x25 cm | 43,3x12,2x9,8"

4,7 kg | 10,4 lb

LI06G-D

644€

LED

CE

cUL

us

UK


CA

CCC

EN

ADA

16 cm · 6,3"



103,5 cm · 40,7"

Depth · Profundidad
6,5 cm | 2,6"

LIGHT SOURCE
FUENTE DE LUZ

Light source built in
Fuente de luz incluida

230 V | 50 Hz

23,6W | 2700K 3020m

built in | upon request 3000K 3115lm Dimmer: PHASE CUT

100~277 V | 60 Hz

17W | 2700K | 2558lm

built in | upon request 3000K 2632lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT
PESO NETO

2,9 kg | 6,4 lb

PACKAGING
EMBALAJE

110x31x25 cm | 43,3x12,2x9,8"

4,7 kg | 10,4 lb

LL06

260€

CE

cUL

us

UK

CA


CCC

EN

ADA

N

27 cm | 10,63"



20 cm · 7,87"

Depth · Profundidad
9,5 cm | 3,7"

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

G9 LED - Max. 2x4 W

120 V | 60 Hz

G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO

0,7 kg | 1,5 lb

PACKAGING
EMBALAJE

36x26x19 cm | 14,2x10,2x7,5"

1 kg | 2,2 lb

LL06G

325€

CE

cUL

us

UK


CA

CCC

EN

ADA

45 cm | 17,72"



20 cm · 7,87"

Depth · Profundidad
9,5 cm | 3,7"

LIGHT SOURCE
FUENTE DE LUZ

Recommended bulbs
Bombillas recomendadas

230 V | 50 Hz

G9 LED - Max. 2x4 W

120 V | 60 Hz

G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO

0,9 kg | 2 lb

PACKAGING
EMBALAJE

56x26x19 cm | 22x10,2x7,5"

1,5 kg | 3,31 lb

Lisa

a-emotional light desing team, 2025

MATERIALS
MATERIALES

FINISHES
ACABADOS

SUPPORT
SOPORTE

Painted stainless steel mesh
Malla de acero inoxidable pintado

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Black · Negro

Custom · Personalizado

Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall lamp
Aplique

DIFFUSER
DIFUSOR

Inside diffuser
Difusor interno

Mytilus

Arturo Álvarez, 2019

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Custom · Personalizado

SUPPORT

SOPORTE

Painted steel in white

Acero pintado en blanco

MOUNTING OPTIONS

OPCIONES DE INSTALACIÓN

Wall lamp

Aplicue

DIFFUSER

DIFUSOR

Glass diffuser

Difusor de vidrio

MY06

786€

LED

CE

ULUS

UKCA

CCC

UL

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

3 kg | 6,6 lb

PACKAGING

EMBALAJE

60x60x22 cm | 23,6x23,6x8,7"

4,5 kg | 9,9 lb

43 cm · 16,9"

60 cm · 23,6"

Depth · Profundidad

16 cm | 6,3"

Nevo

Arturo Álvarez, 2007

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

Steel gloss nickel- plated and stainless steel

Acero niquel-satinado y acero inoxidable

White · Blanco

Warm white · Blanco cálido

Beige · Beige

Grey · Gris

Taupe · Topo

Custom · Personalizado

NE06P

337€

CE

ULUS

UKCA

CCC

UL

RoHS

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

G9 LED - Max. 1x4 W

120 V | 60 Hz

G9 LED - Max. 1x4 W

NET WEIGHT

PESO NETO

0,8 kg | 1,8 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

1,8 kg | 4 lb

31 cm · 12,2"

31 cm · 12,2"

Depth · Profundidad

17 cm | 6,7"

NE06P-LD

429€

LED

CE

ULUS

UKCA

CCC

UL

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

1,2 kg | 2,6 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

1,8 kg | 4 lb

31 cm · 12,2"

31 cm · 12,2"

Depth · Profundidad

20 cm | 7,9"

Onn

Arturo Álvarez, 2017

MATERIALS

MATERIALES

Painted stainless steel

Acero inoxidable pintado

FINISHES

ACABADOS

White · Blanco

Warm white · Blanco cálido

Custom · Personalizado

SUPPORT

SOPORTE

Painted steel

Acero pintado

MOUNTING OPTIONS

OPCIONES DE INSTALACIÓN

Wall & ceiling lamp

Aplicue & plafón

NE06

456€

CE

ULUS

UKCA

CCC

UL

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage- Max. 2x7 W

120 V | 60 Hz

E12 LED - Max. 2x7 W

NET WEIGHT

PESO NETO

1,1 kg | 2,4 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

2,2 kg | 4,8 lb

38 cm · 14,9"

38 cm · 14,9"

Depth · Profundidad

23 cm | 9"

NE06-LD

513€

LED

CE

ULUS

UKCA

CCC

UL

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm

built in | upon request 3000K

1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

1,4 kg | 3,1 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

2,2 kg | 4,8 lb

38 cm · 14,9"

38 cm · 14,9"

Depth · Profundidad

25 cm | 9,8"

ON06

487€

CE

ULUS

UKCA

CCC

UL

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E27 LED Vintage- Max. 1x8 W

120 V | 60 Hz

E26 LED - Max. 1x8 W

NET WEIGHT

PESO NETO

3 kg | 6,6 lb

PACKAGING

EMBALAJE

46x52x30 cm | 18,1x20,5x11,8"

4,4 kg | 9,7 lb

42 cm · 16,5"

50 cm · 19,7"

Depth · Profundidad

18 cm | 7,1"

80

81

TA06P

310€

31 cm · 12,2"

31 cm · 12,2"

Depth · Profundidad

20 cm | 7,9"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

G9 LED - Max. 1x4 W

120 V | 60 Hz

G9 LED - Max. 1x4 W

NET WEIGHT

PESO NETO

0,8 kg | 1,8 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

1 kg | 2,2 lb

TA06P-LD

402€

LED

31 cm · 12,2"

31 cm · 12,2"

Depth · Profundidad

20 cm | 7,9"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

1,2 kg | 2,6 lb

PACKAGING

EMBALAJE

36x36x31 cm | 14,2x14,2x12,2"

1,5 kg | 3,3 lb

TA06G

409€

38 cm · 15"

38 cm · 15"

Depth · Profundidad

22 cm | 8,7"

LIGHT SOURCE

FUENTE DE LUZ

Recommended bulbs

Bombillas recomendadas

230 V | 50 Hz

E14 LED Vintage-
Max. 2x7 W

120 V | 60 Hz

E12 LED - Max. 2x7 W

NET WEIGHT

PESO NETO

1 kg | 2,2 lb

PACKAGING

EMBALAJE

52x47x31 cm | 20,5x18,5x12,2"

2,4 kg | 5,3 lb

TA06G-LD

477€

LED

38 cm · 15"

38 cm · 15"

Depth · Profundidad

22 cm | 8,7"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CUT

100~277 V | 60 Hz

8W | 2700K | 960lm
built in | upon request 3000K
1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

PESO NETO

1,4 kg | 3,1 lb

PACKAGING

EMBALAJE

52x47x31 cm | 20,5x18,5x12,2"

2,4 kg | 5,3 lb

Umbra Line

N

Isaac Piñeiro, 2025

MATERIALS

MATERIALES

Satin stainless steel

Acero inoxidable satinado

Painted stainless steel mesh

Malla de acero inoxidable pintado

FINISHES

ACABADOS

Wazz white · Blanco cálido

BC

Satin stainless steel

Acero inoxidable satinado

INOX

Custom · Personalizado

CC

SUPPORT

SOPORTE

Stainless steel

Acero inoxidable

MOUNTING OPTIONS

OPCIONES DE INSTALACIÓN

Wall lamp

Aplique

ULI06S

453€

LED

40 cm · 15,7"

14,5 cm · 5,7"

Depth · Profundidad

4,8 cm | 1,9"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

6W | 2700K | 400lm
built in Dimmer: PHASE CUT

100~277 V | 60 Hz

6W | 2700K | 400lm
built in Dimmer: TRIAC
upon request 0-10 V

NET WEIGHT

PESO NETO

1,4 kg | 3,1 lb

PACKAGING

EMBALAJE

50x20x12 cm | 19,7x8x4,7"

1,4 kg | 3,1 lb

ULI06M

607€

LED

80 cm · 31,5"

14,5 cm · 5,7"

Depth · Profundidad

4,8 cm | 1,9"

LIGHT SOURCE

FUENTE DE LUZ

Light source built in

Fuente de luz incluida

230 V | 50 Hz

14W | 2700K | 950lm
built in Dimmer: PHASE CUT

100~277 V | 60 Hz

14W | 2700K | 950lm
built in Dimmer: TRIAC
upon request 0-10 V

NET WEIGHT

PESO NETO

2,8 kg | 6,2 lb

PACKAGING

EMBALAJE

90x20x12 cm | 35,4x8x4,7"

2,8 kg | 6,2 lb

ULIO6L


876€

</

Accessories

Accesorios

CANOPY & PIECE TO MOVE THE ELECTRIC CABLE
FLORÓN & PIEZA PARA DESPLAZAMIENTO DE CABLE ELÉCTRICO



Option for luminaires with electric cable only
Opción para luminarias solamente con cable eléctrico

Option for luminaires with electric and steel cable
Opción para luminarias con cable eléctrico y de acero

REF. PIEZA004
PIECE TO HOLD THE STEEL CABLE
PIEZA PARA SUJECIÓN DE CABLE DE ACERO

REF. PIEZA002
PIECE TO MOVE THE ELECTRIC CABLE
PIEZA PARA DESPLAZAMIENTO DE CABLE ELÉCTRICO

REF. PIEZA006
FINISH IN BLACK COLOR
ACABADO EN COLOR NEGRO

CANOPY | FLORÓN

Canopy small Ø80mm
Florón pequeño Ø80mm

Finishing steel painted in white
Acabado acerp pintado en blanco

Maximum 3 outputs
Máximo 3 salidas



Ref. CAN8

Canopy medium Ø120mm
Florón mediano Ø120mm

Finishing acero pintado en blanco
Acabado acero pintado en blanco

Maximum 8 outputs
Máximo 8 salidas



Ref. CAN12



Finishing black matte
Acabado mate

For compositions
with black cable
Para composiciones
con cable



Ref. CAN-BL

Canopy recessed
Florón empotrado

Finishing matte white
or matte black

Acabado blanco mate
o mate



Ref. CAN-N

Type 1 Tipo 1

One side output
Salida por el lateral
hacia un lado

Type 2 Tipo 2

Around side output
Salida lateral
alrededor

Type 3 Tipo 3

Downward output
Salida hacia abajo

Finishing black matte
Acabado mate

For compositions
with black cable
Para composiciones
con cable

LIGHT BULBS | BOMBILLAS

BASE	DESCRIPCIÓN	W	T (Kelvin)	REF.
 E27 LED	Standard vintage Ø60mm	6	2700K 3000K	ELEC0907 ELEC0908
	Standard Dimmable vintage Ø60mm	6	 2700K	ELEC0700
	Standard vintage Ø60mm	10	2700K	ELEC2201
 E14 LED Round	Round Vintage	4	2700K	ELEC0689
 G9 LED	LED bi-pin 230V	4	2700K 3000K	ELEC0703 ELEC0655


Ecodesign standards for lighting products are mandatory for all manufacturers and importers who intend to market their products in the EU.
As of September 1, 2021, Regulation (EU) 2019/2020 establishing eco-design requirements for light sources and independent control mechanisms repeals and replaces Regulations (EC) No 244/2009, (EC) No 244/2009, (EC) No 245/2009 and (EU) No 1194/2012.

Las normas de diseño ecológico para los productos de iluminación son obligatorias para todos los fabricantes e importadores que pretendan comercializar sus productos en la UE.
Desde el 1 de septiembre de 2021, el Reglamento (UE) 2019/2020 por el que se establecen requisitos de diseño ecológico para las fuentes luminosas y los mecanismos de control independientes deroga y sustituye los Reglamentos (EC) No 244/2009, (CE) n.º 244/2009, (CE) n.º 245/2009 y (UE) n.º 1194/2012 .



To Lucía Viyuela Ballesteros, who always lights our way.
Para Lucía Viyuela Ballesteros, que sempre ilumina o noso camiño.

Discover all our collections
www.a-emotionallight.com



a-emotional light
Calor Color S.L.

+34 981 814 600
info@a-emotionallight.com

Rúa Castiñeiras, 108A
15895 · O Milladoiro
A Coruña · Spain

a-emotional light USA
a by emotional light inc.

+1 323 599 6363
sales@a-emotionallight.com

1460 Broadway, Suite 6025
New York · NY 10036
United States of America



